



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1302-01	<u>Connector for drip tape</u>	Size:16mm	54x36x29	800	15
	XF1302-03	<u>Connector for drip tape</u>	Size:16mm	54x36x29	1400	13.5
	XF1303-01	<u>Tape offtake for PE pipe</u>	Size:16x10mm	54x36x29	1200	15
	XF1303-02	<u>Offtake with rubber ring for tape and PVC pipe</u>	Size:16x10mm	54x36x29	1100	15
	XF1303-03	<u>Connector for drip tape and PE pipe</u>	Size:16mm	54x36x29	2200	13.7
	XF1304-16X1/2"F	<u>Female connector for drip tape</u>	Size:16mmx1/2"F	54x36x29	900	15
	XF1304-16X3/4"F	<u>Female connector for drip tape</u>	Size:16mmx3/4"F	54x36x29	800	15
	XF1305-01 16x1/2"M	<u>Male connector for drip tape</u>	Size:16mmx1/2"	54x36x29	1000	15
	XF1305-01 16X3/4"M	<u>Male connector for drip tape</u>	Size:16mmx3/4"	54x36x29	800	15
	XF1306-01	<u>Connector for layflat hose and tape</u>	Size:16mm	54x36x29	550	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1306-02	<u>Connector for layflat hose and tape</u>	Size:16mm	54x36x29	500	15
	XF1307	<u>Lock type offtake for PE pipe and tape</u>	Size:16mm	54x36x29	1000	15
	XF1308	<u>Male elbow for drip tape</u>	Size:16mmx1/2"	54x36x29	800	15
	XF1309	<u>Elbow for drip tape</u>	Size:16mm	54x36x29	600	15
	XF1310	<u>Tee for drip tape</u>	Size:16mm	54x36x29	300	15
	XF1311	<u>Male tee for drip tape</u>	Size:16mmx1/2"	54x36x29	450	15
	XF1312-16X1/2"F	<u>Female tee for drip tape</u>	Size:16mmx1/2"	54x36x29	350	15
	XF1312-16X3/4"F	<u>Female tee for drip tape</u>	Size:16mmx3/4"	54x36x29	350	15
	XF1313-01	<u>Tee for drip tape and layflat hose</u>	Size:16mm	54x36x29	270	15
	XF1313-02	<u>Tee for drip tape and layflat hose</u>	Size:16mm	54x36x29	270	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1314-01 16X16X16	<u>Tape tee with two barbed</u>	Size:16mm	54x36x29	850	15
	XF1314-01 20X16X20	<u>Tape tee with two barbed</u>	Size:20x16x20mm	54x36x29	600	15
	XF1314-01 25X16X25	<u>Tape tee with two barbed</u>	Size:25x16x25mm	54x36x29	350	15
	XF1314-02 16X16X16	<u>One barbed tape tee</u>	Size:16mm	54x36x29	450	15
	XF1314-02 16X20X16	<u>One barbed tape tee</u>	Size:16x20x16mm	54x36x29	400	15
	XF1315-01	<u>Tape Plug</u>	Size:16mm	54x36x29	2000	15
	XF1315-02	<u>Tape plug</u>	Size:16mm	54x36x29	2000	15
	XF1316-01	<u>Offtake tee for tape and PE pipe</u>	Size:16mm	54x36x29	500	15
	XF1316-02	<u>Offtake tee with rubber ring for tape and PVC pipe</u>	Size:16mm	54x36x29	450	15
	XF1321-01 16mm	<u>Straight connector for PE pipe</u>	Size:16mm	54x36x29	2500	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1321-01 16X12mm	<u>Straight connector for PE pipe</u>	Size:16x12mm	54x36x29	3000	15
	XF1321-01 20mm	<u>Straight connector for PE pipe</u>	Size:20mm	54x36x29	1200	15
	XF1321-01 20x16mm	<u>Straight connector for PE pipe</u>	Size:20x16mm	54x36x29	1300	15
	XF1321-01 25mm	<u>Straight connector for PE pipe</u>	Size:25mm	54x36x29	400	15
	XF1321-01 25x20mm	<u>Straight connector for PE pipe</u>	Size:25x20mm	54x36x29	800	15
	XF1321-01 32mm	<u>Straight connector for PE pipe</u>	Size:32mm	54x36x29	500	15
	XF1322-01 12mm	<u>Elbow for PE pipe</u>	Size:12mm	54x36x29	2000	15
	XF1322-01 16mm	<u>Elbow for PE pipe</u>	Size:16mm	54x36x29	1200	15
	XF1322-01 20mm	<u>Elbow for PE pipe</u>	Size:20mm	54x36x29	700	15
	XF1322-01 25mm	<u>Elbow for PE pipe</u>	Size:25mm	54x36x29	700	15
	XF1322-01 32mm	<u>Elbow for PE pipe</u>	Size:32mm	54x36x29	500	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1323-01 12mm	<u>Offtake for PE pipe</u>	Size:12mm	54x36x29	4000	15
	XF1323-01 16mm	<u>Offtake for PE pipe</u>	Size:16mm	54x36x29	3300	15
	XF1323-01 20mm	<u>Offtake for PE pipe</u>	Size:20mm	54x36x29	1500	15
	XF1323-01 25MM	<u>Offtake for PE pipe</u>	Size:25mm	54x36x29	1200	15
	XF1323-02 12MM	<u>Offtake with rubber ring for PVC pipe</u>	Size:12mm	54x36x29	2500	15
	XF1323-02 16MM	<u>Offtake with rubber ring for PVC pipe</u>	Size:16mm	54x36x29	2500	15
	XF1323-02 20MM	<u>Offtake with rubber ring for PVC pipe</u>	Size:20mm	54x36x29	1200	15
	XF1323-02 25MM	<u>Offtake with rubber ring for PVC pipe</u>	Size:25mm	54x36x29	800	15
	XF1324 12MM	<u>Tee for PE pipe</u>	Size:12mm	54x36x29	1200	15
	XF1324 16MM	<u>Tee for PE pipe</u>	Size:16mm	54x36x29	1200	15
	XF1324 20MM	<u>Tee for PE pipe</u>	Size:20mm	54x36x29	700	15
	XF1324 25MM	<u>Tee for PE pipe</u>	Size:25mm	54x36x29	400	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1324 32MM	<u>Tee for PE pipe</u>	Size:32mm	54x36x29	200	15
	XF1325 16X1/2"	<u>Male tee for PE pipe</u>	Size:16x1/2"	54x35x28	1000	11
	XF1325 20X1/2"	<u>Male tee for PE pipe</u>	Size:20x1/2"	54x35x28	700	10
	XF1325 20X3/4"	<u>Male tee for PE pipe</u>	Size:20x3/4"	54x35x28	550	10
	XF1325 25X1/2"	<u>Male tee for PE pipe</u>	Size:25x1/2"	54x35x28	400	10
	XF1325 25X3/4"	<u>Male tee for PE pipe</u>	Size:25x3/4"	54x35x28	350	10
	XF1326-01	<u>Offtake for PE pipe</u>	Size:16mm	54x36x29	2500	15
	XF1326-02	<u>Offtake with rubber ring for PVC pipe</u>	Size:16mm	54x36x29	2000	15
	XF1327 16X1/2"	<u>Male connector for PE pipe</u>	Size:16x1/2"	54x36x29	1600	15
	XF1327 16X3/4"	<u>Male connector for PE pipe</u>	Size:16x3/4"	54x36x29	1300	15
	XF1327 20X1/2"	<u>Male connector for PE pipe</u>	Size:20x1/2"	54x36x2x39	1200	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1327 20X3/4	<u>Male connector for PE pipe</u>	Size:20x3/4"	54x36x29	1000	15
	XF1328 12MM	<u>Barbed end line</u>	Size:12mm	54x36x29	4000	15
	XF1328 16MM	<u>Barbed end line</u>	Size:16mm	54x36x29	2500	15
	XF1328 20MM	<u>Barbed end line</u>	Size:20mm	54x36x29	1200	15
	XF1328 25MM	<u>Barbed end line</u>	Size:25mm	54x36x29	400	15
	XF1329 16X1/2"	<u>Female connector for PE pipe</u>	Size:16x1/2"	54x36x29	1000	15
	XF1329 16X3/4"	<u>Female connector for PE pipe</u>	Size:16x3/4"	54x36x29	800	15
	XF1329 20X1/2"	<u>Female connector for PE pipe</u>	Size:20x1/2"	54x36x29	800	15
	XF1329 20X3/4"	<u>Female connector for PE pipe</u>	Size:20x3/4"	54x36x29	700	15
	XF1330 16MM	<u>Connector for PE pipe and layflat hose</u>	Size:16mm	54x36x29	600	15
	XF1330 20MM	<u>Connector for PE pipe and layflat hose</u>	Size:20mm	54x36x29	550	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1331-01	<u>Female connector for layflat hose</u>	Size:1/2"	54x36x29	1000	15
	XF1332 1/2"	<u>Female connector</u>	Size:1/2"	42x28x21	1000	12
	XF1332 1/2"X3/4"	<u>Female connector</u>	Size:1/2"x3/4"	42x28x21	900	9
	XF1332 3/4"	<u>Female connector</u>	Size:3/4"	42x28x21	900	13
	XF1333-01	<u>Tape Sleeve end</u>	Size:16mm	54x36x29	2400	15
	XF1334-01 8MM	<u>Rubber ring</u>	Material:Rubber Hole diameter:8mm	54x36x29	10000	22
	XF1334-01 10MM	<u>Rubber ring</u>	Material:Rubber Hole diameter:10mm	54x36x29	5000	22
	XF1334-02 8mm	<u>Rubber ring</u>	Material:Rubber Hole diameter:8mm	54x36x29	7000	22
	XF1334-02 10MM	<u>Rubber ring</u>	Material:Rubber Diameter: 10mm	54x36x29	5000	22
	XF1335 12mm	<u>End line</u>	Size:12mm	54x36x29	5000	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1335 16mm	<u>End line</u>	Size:16mm	54x36x29	3000	15
	XF1335 20mm	<u>End line</u>	Size:20mm	54x36x29	1800	15
	XF1335 25mm	<u>End line</u>	Size:25mm	54x36x29	1800	15
	XF1336-01 16mm	<u>The clamping ring</u>	Size:16mm	54x36x29	5000	15
	XF1336-01 20mm	<u>The clamping ring</u>	Size:20mm	54x36x29	3200	15
	XF1336-01 25mm	<u>The clamping ring</u>	Size:25mm	54x36x29	3200	15
	XF1337-01 12mm	<u>Hanging clamp for PE pipe</u>	Size:12mm	54x35x28	5000	15
	XF1337-01 16mm	<u>Hanging clamp for PE pipe</u>	Size:16mm	54x36x29	5000	15
	XF1337-01 20mm	<u>Hanging clamp for PE pipe</u>	Size:20mm	54x36x29	4000	15











DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1337-01 25mm	<u>Hanging clamp for PE pipe</u>	Size:25mm	54x36x29	3200	15
	XF1338-16mm	<u>Holddown support</u>	Size:16mm	54x36x29	550	15
	XF1338-20mm	<u>Holddown support</u>	Size:20mm	54x36x29	550	15
	XF1339-02	<u>Support stake</u>	Length:8cm	54x36x29	13000	15
	XF1340-03	<u>Support stake</u>	Length:15cm	54x36x29	5000	15
	XF1341	<u>Male connector</u>	Size:4x1/2"	42x28x42	8000	12
	XF1351 16x1/2"	<u>Male elbow for PE pipe</u>	Size:16x1/2"	50x33x33	1800	15
	XF1351 16x3/4"	<u>Male elbow for PE pipe</u>	Size:16x3/4"	50x33x33	1300	15
	XF1351 16x1"	<u>Male elbow for PE pipe</u>	Size:16x1"	50x33x33	1000	15
	XF1351 20x1/2"	<u>Male elbow for PE pipe</u>	Size:20x1/2"	50x33x33	1000	15



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1351 20x3/4	<u>Male elbow for PE pipe</u>	Size:20x3/4"	50x33x33	1000	15
	XF1351 25x1"	<u>Male elbow for PE pipe</u>	Size:25x1"	54x35x29	650	15
	XF1353-01	<u>Mini Barbed Coupling</u>	Size:1/4"(6.35mm)	42x28x42	26000	22
	XF1353-02	<u>Mini Barbed Elbow</u>	Size:1/4"(6.35mm)	42x28x42	20000	20
	XF1353-03	<u>Mini Barbed Tee</u>	Size:1/4"(6.35mm)	42x28x42	18000	18
	XF1353-04	<u>Mini Barbed Cross</u>	Size:1/4"(6.35mm)	42x28x42	11000	16
	XF1354-01	<u>Two branches for PVC hose</u>	Size:for 3/5mm PVC hose	42x28x42	26000	18
	XF1354-02	<u>Five branches for PVC hose</u>	Size:for 3/5mm PVC hose	42x28x42	12000	14
	XF1354-03	<u>Five branches for PVC hose</u>	Size:for 3/5mm PVC hose	42x28x42	12000	14
	XF1355-01	<u>Double Barbed Adaptor</u>	Size:for 3/5mm PVC hose	54x35x28	50000	20




DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1355-02	<u>Double Barbed Adaptor</u>	Size:for 4/7mm PVC hose	54x35x28	30000	21
	XF1355-03A	<u>Single Barbed Adaptor</u>	Size:for 4/7mm PVC hose	42x28x42	26000	20
	XF1355-03B	<u>Single Barbed Adaptor</u>	One side for 4/7mm PVC hose Another side I.D:6mm	42x28x42	12000	18
	XF1355-04A	<u>Mini barbed plug</u>	Size:for 4/7mm PVC hose	42x28x42	24000	18
	XF1355-04B	<u>Mini single barbed plug</u>	Size:for 4/7mm PVC hose	42x28x42	30000	18
	XF1355-05A	<u>Double socket connector</u>	Outside Diameter:6mm	54x35x28	25000	19
	XF1355-05B	<u>Double inside barbed connector</u>	Inside diameter:6mm	54x35x28	14000	18
	XF1355-06	<u>Connector</u>	Hole size:6mm or 8mm Supporting hole size:6mm or 7.5mm	42x28x42	8000	18
	XF1356-01	<u>Male connector</u>	Size:1/2" Female	54x35x28	2000	18



DRIP FITTING — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1357-01	<u>Mini double barbed Anti-drainage valve</u>	Size:7mm	54x35x28	6000	19
	XF1357-02	<u>Mini double barbed Anti-drainage valve</u>	Size:7mm	54x35x28	6500	20
	XF1358-01	<u>1/2"Male connector</u>	I.D:6mm Size:1/2"M	54x35x28	3500	18
	XF1358-02	<u>1/2"Male connector</u>	O.D:6mm Size:1/2"M	54x35x28	3000	18