

















## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1501-0.75	<a href="#">Disc Filter</a>	Size:3/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:5 m³/h	60x30x32	50	14.5
	XF1501-1.00	<a href="#">Disc Filter</a>	Size:1"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:6 m³/h	60x30x32	50	14.5
	XF1502-1.25	<a href="#">Disc Filter</a>	Size:1-1/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:10 m³/h	64x42x36	15	15.34
	XF1502-1.50	<a href="#">Disc Filter</a>	Size:1-1/2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:14 m³/h	64x42x36	15	15.34
	XF1502-2.00	<a href="#">Disc Filter</a>	Size:2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:20 m³/h	64x42x36	15	17.7
	XF1503-0.75	<a href="#">Disc Filter</a>	Size:3/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:5 m³/h	51x36x47	40	16.75
	XF1503-1.00	<a href="#">Disc Filter</a>	Size:1"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:6 m³/h Screen Area:1100cm²	51x36x47	40	16.75
	XF1503-1.25	<a href="#">Disc Filter</a>	Size:1-1/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:10 m³/h	51x36x47	16	16.46
	XF1504-1.50	<a href="#">Disc Filter</a>	Size:1-1/2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:14 m³/h	51x36x47	16	16.36












## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1504-2.00	<a href="#">Disc Filter</a>	Size:2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:20 m³/h	51x36x47	16	17.3
	XF1504L-2.00	<a href="#">Disc Filter</a>	Size:2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:25 m³/h	51x36x47	12	17.3
	XF1505-1.25	<a href="#">Disc Filter</a>	Size:1-1/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:20 m³/h	68x28.5x62.5	9	17.5
	XF1505-1.50	<a href="#">Disc Filter</a>	Size:1-1/2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:20 m³/h	68x28.5x62.5	9	17.5
	XF1505-2.00	<a href="#">Disc Filter</a>	Size:2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:25 m³/h	68x28.5x62.5	9	17.5
	XF1506-2.00A	<a href="#">Disc Filter</a>	Size:2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	7.35
	XF1506-2.00B	<a href="#">Disc Filter</a>	Size:2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	7.35
	XF1506-2.50A	<a href="#">Disc Filter</a>	Size:2-1/2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	7.35
	XF1506-2.50B	<a href="#">Disc Filter</a>	Size:2-1/2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	7.35












## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1506-3.00A	<a href="#">Disc Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	7.35
	XF1506-3.00B	<a href="#">Disc Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	7.35
	XF1506L-2.00A	<a href="#">Disc Filter</a>	Size:2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:50 m³/h	75x36x24	1	9.23
	XF1506L-2.50A	<a href="#">Disc Filter</a>	Size:2-1/2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:50 m³/h	75x36x24	1	9.23
	XF1506L-3.00A	<a href="#">Disc Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:50 m³/h	75x36x24	1	9.23
	XF1507-3.00A	<a href="#">Disc Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:70 m³/h	97x36x24	1	10.85
	XF1507-3.00B	<a href="#">Disc Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:70 m³/h	97x36x24	1	10.85
	XF1507-4.00A	<a href="#">Disc Filter</a>	Size:4"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:70 m³/h	97x36x24	1	10.85
	XF1507-4.00B	<a href="#">Disc Filter</a>	Size:4"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:70 m³/h	97x36x24	1	11.24












## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1507L-4.00A	<a href="#">Disc Filter</a>	Size:4"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:100 m³/h	121x36x24	1	13.86
	XF1507L-4.00B	<a href="#">Disc Filter</a>	Size:4"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:100 m³/h	121x36x24	1	13.86
	XF1508-2.00Auto	<a href="#">Automatic Backwashing Filter</a>	Size:2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:20 m³/h	64x36x24	1	9.5
	XF1508-2.50Auto	<a href="#">Automatic Backwashing Filter</a>	Size:2-1/2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:20 m³/h	75x36x24	1	9.5
	XF1508-3.00Auto	<a href="#">Automatic Backwashing Filter</a>	Size:3"BSP,NPT, Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	76x36x24	1	10.18
	XF1508-4.00Auto	<a href="#">Automatic Backwashing Filter</a>	Size:4"BSP,NPT, Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:60 m³/h	121x36x24	1	15.22
	XF1521-0.75	<a href="#">Screen Filter</a>	Size:3/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:5 m³/h	60x30x32	50	9
	XF1521-1.00	<a href="#">Screen Filter</a>	Size:1"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:6 m³/h	60x30x32	50	9
	XF1522-1.25	<a href="#">Screen Filter</a>	Size:1-1/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:10 m³/h	64x42x36	15	12.44












## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1522-1.50	<a href="#">Screen Filter</a>	Size:1-1/2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:14 m³/h	64x42x36	15	12.44
	XF1522-2.00	<a href="#">Screen Filter</a>	Size:2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:20 m³/h	64x42x36	15	12.44
	XF1523-0.75	<a href="#">Screen Filter</a>	Size:3/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:5 m³/h	51x36x47	40	13.59
	XF1523-1.00	<a href="#">Screen Filter</a>	Size:1"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:6 m³/h	51x36x47	40	13.59
	XF1523-1.25	<a href="#">Screen Filter</a>	Size:1-1/4"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:10 m³/h	51x36x47	16	12.28
	XF1524-1.50	<a href="#">Screen Filter</a>	Size:1-1/2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:14 m³/h	51x36x47	16	12.28
	XF1524-2.00	<a href="#">Screen Filter</a>	Size:2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:25 m³/h	51x36x47	16	12.28
	XF1524L-2.00	<a href="#">Screen Filter</a>	Size:2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:25 m³/h	64x42x36	12	13.02
	XF1525-1.50	<a href="#">Screen Filter</a>	Size:1-1/2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:20 m³/h	68x28.5x62.5	12	12



## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1525-2.00	<a href="#">Screen Filter</a>	Size:2"BSP,NPT Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:25 m³/h	68x28.5x62.5	12	14
	XF1526-2.00A	<a href="#">Screen Filter</a>	Size:2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	5.82
	XF1526-2.00B	<a href="#">Screen Filter</a>	Size:2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	5.82
	XF1526-2.50A	<a href="#">Screen Filter</a>	Size:2-1/2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	5.88
	XF1526-2.50B	<a href="#">Screen Filter</a>	Size:2-1/2"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	5.88
	XF1526-3.00A	<a href="#">Screen Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	7.32
	XF1526-3.00B	<a href="#">Screen Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:30 m³/h	64x36x24	1	7.32
	XF1526L-3.00A	<a href="#">Screen Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:50 m³/h	76x36x24	1	7.32
	XF1526L-3.00B	<a href="#">Screen Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:50 m³/h	76x36x24	1	7.32



## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1527-3.00A	<a href="#">Screen Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:70 m³/h	97x36x24	1	7.46
	XF1527-3.00B	<a href="#">Screen Filter</a>	Size:3"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:70 m³/h	97x36x24	1	7.46
	XF1527-4.00A	<a href="#">Screen Filter</a>	Size:4"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:70 m³/h	97x36x24	1	8.35
	XF1527-4.00B	<a href="#">Screen Filter</a>	Size:4"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:70 m³/h	97x36x24	1	8.35
	XF1527L-4.00A	<a href="#">Screen Filter</a>	Size:4"BSP,NPT,Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:100 m³/h	121x36x24	1	10.06
	XF1527L-4.00B	<a href="#">Screen Filter</a>	Size:4"BSP,NPT, Socket Max.Pressure:10bar Filtration Grade:120mesh (130mic) Max.Flow:100 m³/h	121x36x24	1	10.06
	XF1530-2.00	<a href="#">Centrifugal Filter</a>	Size:2"Flange Max.Pressure:10bar Filtration Elements:Centrifugal Max.Flow:30 m³/h	98.5x51.5x39	1	20
	XF1530-3.00	<a href="#">Centrifugal Filter</a>	Size:3"Flange Max.Pressure:10bar Filtration Elements:Centrifugal Max.Flow:50 m³/h	120x61x43	1	30.5






## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1530-4.00	<a href="#">Centrifugal Filter</a>	Size:4"Flange Max.Pressure:10bar Filtration Elements:Centrifugal Max.Flow:100 m³/h	120x61x43	1	32.5
	XF1531	<a href="#">Automatic Backwashing Filter</a>	Pipe Size:3" Filter Size:2" Filtre Quantity:2pcs Min.Pressure:>0.18bar	100x85x85	1	102
	XF1532	<a href="#">Automatic Backwashing Filter</a>	Pipe Size:4" Filter Size:3" Filtre Quantity:3pcs Min.Pressure:>0.18bar	100x90x85	1	116
	XF1533	<a href="#">Automatic Backwashing Filter</a>	Pipe Size:6" Filtre Size:3" Filtre Quantity:4pcs Min.Pressure:>0.18bar	130x95x90	1	144
	XF1534	<a href="#">Automatic Backwashing Filter</a>	Pipe Size:6" Filtre Size:3" Filtre Quantity:5pcs Min.Pressure:>0.18bar	181x93x91	1	250
	XF1535	<a href="#">Automatic Backwashing Filter</a>	Pipe Size:8" Filtre Size:3" Filtre Quantity:6pcs Min.Pressure:>0.18bar	213x101x96	1	300
	XF1536	<a href="#">Automatic Backwashing Filter</a>	Pipe Size:8" Filtre Size:4" Filtre Quantity:4pcs Min.Pressure:>0.18bar	130x102x175	1	410
	XF1537-2"	<a href="#">Backwashing 3-way valves</a>	Size:2"	28x21x17	1	3.3
	XF1537-3"	<a href="#">Backwashing 3-way valves</a>	Size:3"	40x30x20	1	6.3



## FILTER SYSTEM — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1537-4"	<u>Backwashing 3-way valves</u>	Size:4"	33x33x26	1	6.1
	XF1538-3"	<u>Solenoid valve</u>	Size:3"Female AC24V DC24V Max.working pressure:10bar	33x33x26	1	10
	XF1538-3"pulse	<u>Solenoid valve</u>	Size:3"Female DC12V Max.working pressure:10bar	33x33x26	1	10