



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1701-01A	<u>Micro Sprinkler</u>	Connecting O.D:6mm Working Pressure:1.0-3bar Flow:110-180L/H Max distance:4-4.5m	54x35x28	2000	18
	XF1701-02A	<u>Micro Sprinkler</u>	internal diameter:6mm Working Pressure:1.0-3bar Flow:110-180L/H Max distance:4-4.5m Connecting I.D:6mm	54x35x28	2000	18
	XF1702-01A	<u>Magnet Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:8-8.5m	60x34x30	300	16.8
	XF1702-01B	<u>Magnet Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:379-477L/h Max distance:8-8.2m	60x34x30	300	16.8
	XF1702-01C	<u>Magnet Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:283-352L/h Max distance:7.2-7.5m	60x34x30	300	16.8
	XF1703-01A	<u>R10 Sprinkler</u>	Size:1/2"M W.P.:2.5-4bar Flow:460-590L/h Max distance:9.5-10m	54x35x29	300	8.3
	XF1703-01B	<u>R10 Sprinkler</u>	Size:1/2"M W.P.:2.5-4bar Flow:550-710L/h Max distance:9.5-10m	54x35x29	300	8.3
	XF1703-01C	<u>R10 Sprinkler with cover</u>	Size:1/2"M W.P.:2.5-4bar Flow:390-500L/h Max distance:9.5-10m	54x35x29	150	8.3
	XF1704-01A	<u>1/2" Male Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:8-8.5m	54x35x40	1000	19



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1704-02A	<u>1/2" Male Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:8-8.5m	54x35x40	1000	19
	XF1705-01A	<u>Damping Rotating Sprinkler</u>	Size:1/2"M W.P.:2.5-3.5bar Flow:130-156.7 L/h Max distance:6.5-7m	54x35x29	300	8.3
	XF1705-01B	<u>Damping Rotating Sprinkler</u>	Size:1/2"M W.P.:2.5-3.5bar Flow:175-210 L/h Max distance:6.5-7m	54x35x29	300	8.3
	XF1705-01C	<u>Damping Rotating Sprinkler</u>	Size:1/2"M W.P.:2.5-3.5bar Flow:233.3-283.3 L/h Max distance:6.5-7.0m	54x35x29	300	8.3
	XF1706-01F	<u>Butterfly Sprinkler</u>	Size:1/2"F&3/4"F W.P.:1.0-3.0bar Flow:105-278L/H(2.0mm nozzle) 321-851L/H(3.5mm nozzle) Max distance:5m	54x40x29	500	15
	XF1706-01M	<u>Butterfly Sprinkler</u>	Size:1/2"M W.P.:1.0-3.0bar Flow:105-278L/H(2.0mm nozzle) 321-851L/H(3.5mm nozzle) Max distance:5m	54x40x29	500	15
	XF1706-02F	<u>Butterfly Sprinkler</u>	Size:1/2"F&3/4"F W.P.:1.0-3.0bar Flow:105-278L/H(2.0mm nozzle) 321-851L/H(3.5mm nozzle) Max distance:5m	54x40x29	500	15
	XF1706-02M	<u>Butterfly Sprinkler</u>	Size:1/2"F&3/4"F W.P.:1.0-3.0bar Flow:105-278L/H(2.0mm nozzle) 321-851L/H(3.5mm nozzle) Max distance:5m	54x40x29	500	15



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1706-07 3/8"	<u>Micro Sprinkler</u>	Size:3/8"F Nozzle diameter:0.8mm Max distance:2.5-3M	38x34x40	1000	13.5
	XF1707-01A	<u>Micro Sprinkler With Gear</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:175-217L/H	38x34x40	1000	13.5
	XF1707-01B	<u>Micro Sprinkler With Gear</u>	Working Pressure:2-3bar Max distance:7-7.5M Flow:258.3-323.3L/H	38x34x40	1000	13.5
	XF1707-02A	<u>Micro Sprinkler With Gear</u>	Size:1/2"Male Working Pressure:2-3bar Max distance:6.5m-7m Flow:175-217L/H	38x34x40	500	13.5
	XF1707-02B	<u>Micro Sprinkler With Gear</u>	Size:1/2"Male Working Pressure:2-3bar Max distance:7-7.5M Flow:258.3-323.3L/H	38x34x40	500	13.5
	XF1708-01A	<u>Micro Sprinkler With Gear</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:175-217L/H	54x35x28	7000	19
	XF1709-01A	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:22.8-33.9L/H	54x35x28	2000	15
	XF1709-01B	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:53.9-81.7L/H	54x35x28	2000	15
	XF1709-01C	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:72.2-109.7L/H	54x35x28	2000	15




MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1709-01D	<u>Micro Sprinkler</u>	Working Pressure:1.5-3bar Max distance:3.0m Flow:175-217L/H	54x35x28	2000	15
	XF1710-01A	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:22.8-33.9L/H	54x35x28	3000	15
	XF1710-01B	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:53.9-81.7L/H	54x35x28	3000	15
	XF1710-01C	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:72.2-109.7L/H	54x35x28	3000	15
	XF1710-01D	<u>Micro Sprinkler</u>	Working Pressure:1.5-3bar Max distance:3.0m Flow:175-217L/H	54x35x28	3000	15
	XF1711 green nozzle	<u>Micro Sprinkler</u>	Flow:200L/H	46x33x31	2000	13
	XF1711 red nozzle	<u>Micro Sprinkler</u>	Flow:120L/H	46x33x31	2000	13
	XF1711-01 green nozzle	<u>Micro Sprinkler With Stake</u>	Flow:200L/H Stake length:42.5cm	45x41x40	500	13
	XF1711-01 red nozzle	<u>Micro Sprinkler With Stake</u>	Flow:120L/H Stake length:42.5cm	45x41x41	500	13



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1711-02 green nozzle	<u>Micro Sprinkler With Stake Set</u>	Flow:200L/H Stake length:42.5mm PVC hose length:50cm	45x41x41	400	13
	XF1711-02 red nozzle	<u>Micro Sprinkler With Stake Set</u>	Flow:120L/H Stake length:42.5mm PVC hose length:50cm	45x41x41	400	13
	XF1712-01A	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:175-217L/H	54x35x28	3000	15
	XF1713-01A 40L	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:40L	54x35x28	3000	15
	XF1713-01B 60L	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:60L	54x35x28	3000	15
	XF1713-01C 80L	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:80L	54x35x28	3000	15
	XF1713-01D 100L	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:100L	54x35x28	3000	15
	XF1713-01E 130L	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:130L	54x35x28	3000	15
	XF1713-01F 150L	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:150L	54x35x28	3000	15



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1714-01A	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:175-217L/H	54x35x28	3000	15
	XF1715-01A	<u>Micro Sprinkler</u>	W.P.:1.5-3.0bar Max distance:5-6m Flow:295 to 384L/H	54x35x29	3000	15
	XF1715-01B	<u>Micro Sprinkler</u>	W.P.:1.5-3.0bar Max distance:2.5-3m Flow:37.0-55.6 L/H Nozzle diameter:0.8, 1.0, 1.2, 1.4, 1.6, 1.8, 2.0mm	54x35x29	1000	13
	XF1715-01C	<u>Micro Sprinkler</u>	W.P.:1.5-3.0bar Max distance:2.5-3m Flow:37.0-55.6 L/H Nozzle diameter:0.8, 1.0, 1.2, 1.4, 1.6, 1.8, 2.0mm	54x35x29	1000	13
	XF1715-02A	<u>Micro Sprinkler</u>	W.P.:1.5-3.0bar Max distance:5-6m Flow:295-384L/H	54x35x29	3000	13
	XF1715-04A	<u>Micro Sprinkler</u>	W.P.:1.5-3.0bar Max distance:5-6m Flow:295-384L/H	54x35x29	3000	13
	XF1716-01A	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:22.8-33.9L/H	54x35x28	3600	16
	XF1716-01B	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:53.9-81.7L/H	54x35x28	3600	16
	XF1716-01C	<u>Micro Sprinkler</u>	Working Pressure:2-3bar Max distance:6.5m-7m Flow:72.2-109.7L/H	54x35x28	3600	16



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1716-01D	<u>Micro Sprinkler</u>	Working Pressure:1.5-3bar Max distance:3.0m Flow:175-217L/H	54x35x28	3600	16
	XF1717-01A	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:22.8-33.9L/H	54x35x28	3600	16
	XF1717-01B	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:22.8-33.9L/H	54x35x28	3600	16
	XF1718-01A	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:2.0-3.0m Flow:22.8-33.9L/H	54x35x28	3600	16
	XF1719A	<u>Micro Sprinkler</u>	Size:25mm socket Working Pressure:0.69-2.42 bar Max distance:5.3m Flow:213-416 L/H	54x51x36	1000	21
	XF1720 47L/H	<u>PC Micro Sprinkler</u>	Size:3/8"male W.P.:1.5-4.0bar Max distance:2m Flow:47-48 L/H	54x35x29	1000	13
	XF1727-01	<u>Micro Sprinkler</u>		42x28x21	4800	13
	XF1728-01A	<u>Mini Wobbler Sprinkler</u>	Size:1/2"M W.P.:1.05-1.72bar Max distance:5-6m Flow:295 to 384L/H	54x35x29	1000	13
	XF1728-01B	<u>Mini Wobbler Sprinkler</u>	Size:1/2"M W.P.:1.03-1.72bar Max distance:5-6m Flow:295 to 384L/H	54x35x30	1200	14



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1728-03 3/4"	<u>Wobbler Sprinkler</u>	Size:3/4" W.P.:2.0-3.0bar Flow:467-588L/h Max distance:8-8.5m	43.5x43.5x30	300	12
	XF1728-05 1/2"	<u>X-cel MID-Wobbler Sprinkler</u>	Size:1/2" W.P.:0.69-1.72bar Nozzle:2.38mm, 2.78mm, 3.18mm, 3.57mm, 3.97mm, 4.37mm, 4.76mm, 5.16mm, 5.56mm Max distance:5-7m Flow:177-1583L/H	53x29x27	100	8.3
	XF1728-05 3/4"	<u>X-cel MID-Wobbler Sprinkler</u>	Size:3/4" W.P.:0.69-1.72bar Nozzle:2.38mm, 2.78mm, 3.18mm, 3.57mm, 3.97mm, 4.37mm, 4.76mm, 5.16mm, 5.56mm Max distance:5-7m Flow:177-1583L/H	53x29x27	100	8.3
	XF1728-05H 1/2"	<u>X-cel Wobbler Sprinkler (High Angle)</u>	Size:1/2" W.P.:0.69-1.72bar Nozzle:2.38mm, 2.78mm, 3.18mm, 3.57mm, 3.97mm, 4.37mm, 4.76mm, 5.16mm, 5.56mm Max distance:5-7m Flow:177-1583L/H	53x29x27	100	8.3
	XF1728-05H 3/4"	<u>X-cel Wobbler Sprinkler (High Angle)</u>	Size:3/4" W.P.:0.69-1.72bar Nozzle:2.38mm, 2.78mm, 3.18mm, 3.57mm, 3.97mm, 4.37mm, 4.76mm, 5.16mm, 5.56mm Max distance:5-7m Flow:177-1583L/H	53x29x27	100	8.3
	XF1728-07	<u>Senninger I-wob sprinkler</u>	Size:3/4" W.P.:10-15PSI Nozzle:6#-26# Flow:0.8-18.35 gpm	53x29x27	100	8.3
	XF1729-01	<u>Micro sprinkler</u>		54x36x29	1000	11



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1730-01 orange	<u>Micro sprinkler</u>		54x35x43	3000	22
	XF1730-01 purple	<u>Micro sprinkler</u>		54x35x43	3000	22
	XF1731-01	<u>Micro sprinkler</u>	Size:1/2"M W.P.:2.5-3.5bar Flow:175-210 L/h Max distance:6.5-7m	54x35x38.5	500	15.5
	XF1731-02	<u>Micro sprinkler</u>	Size:1/2"M W.P.:2.5-3.5bar Flow:175-210 L/h Max distance:6.5-7m	54x35x35	500	12
	XF1731-03	<u>Micro sprinkler</u>	Size:1/2"M W.P.:2.5-3.5bar Flow:175-210 L/h Max distance:6.5-7m	54x35x38.5	500	14
	XF1732-02	<u>Micro sprinkler</u>	Flow:40-80 L/H	43x25x36	5000	11
	XF1733-01	<u>1/2" M Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:5-6m	54x35x40	1000	19
	XF1733-02	<u>1/2" M Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:5-6m	54x35x40	1000	19
	XF1733-03	<u>1/2" Male Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:5-6m	54x35x40	1000	19



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1733-04	<u>1/3" Male Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:5-6m	54x35x40	1000	19
	XF1733-05	<u>1/2" Male Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:8-8.5m	54x35x40	500	19
	XF1734-01	<u>1/2" Male Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:8-8.5m	54x35x40	2000	19
	XF1734-02	<u>1/2" Male Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:8-8.5m	54x35x40	2000	19
	XF1735-01	<u>Micro sprinkler</u>		54x35x43	3000	22
	XF1736-01	<u>Micro sprinkler</u>	Size:3/8"Male	54x35x43	2000	22
	XF1737-0.50	<u>Micro sprinkler</u>	Size:1/2" Female	54x35x43	1000	22
	XF1737-0.75	<u>Micro sprinkler</u>	Size:3/4" Female	54x35x43	800	22
	XF1738-01	<u>Butterfly sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar 321-851L/H Max distance:5m	54x40x29	500	15



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1739	<u>Damping Rotating Sprinkler</u>	Size:1/2"M W.P.:2.5-3.5bar Flow:130-156.7 L/h Max distance:6.5-7m	54x35x29	200	8.3
	XF1740-01	<u>1/2" Male Sprinkler</u>	Size:1/2"M W.P.:2.0-3.0bar Flow:467-588L/h Max distance:5-6m	54x35x40	1000	19
	XF1741	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:53.9-81.7L/H	54x35x28	3000	15
	XF1742-01A	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:53.9-81.7L/H	54x35x28	3000	15
	XF1743-01B	<u>Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:53.9-81.7L/H	54x35x28	3000	15
	XF1744-01	<u>1/2"Male Micro Sprinkler</u>	Working Pressure:1.5-3.0bar Max distance:3.0m-3.6m Flow:53.9-81.7L/H	54x35x28	3000	15
	XF1745A 13cm	<u>5 holes Bubbler dripper (180°5 holes)</u>	Length:13cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-70L/H	54x35x28	3000	15
	XF1745A 18cm	<u>5 holes Bubbler dripper (180°5 holes)</u>	Length:18cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-70L/H	54x35x28	2500	15
	XF1745A 26cm	<u>5 holes Bubbler dripper (180°5 holes)</u>	Length:26cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-70L/H	54x35x28	2500	15



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1745A 30cm	<u>5 holes Bubbler dripper</u> (180°5 holes)	Length:30cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-70L/H	54x35x28	2500	15
	XF1745B 13cm	<u>8 holes Bubbler dripper</u> (360°)	Length:18cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-120L/H	54x35x28	2500	15
	XF1745B 18cm	<u>8 holes Bubbler dripper</u> (360°)	Length:18cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-120L/H	54x35x28	2500	15
	XF1745B 26cm	<u>8 holes Bubbler dripper</u> (360°)	Length:26cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-120L/H	54x35x28	2500	15
	XF1745B 30cm	<u>8 holes Bubbler dripper</u> (360°)	Length:30cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-120L/H	54x35x28	2500	15
	XF1745C 13cm	<u>Centrifugal Bubbler dripper</u>	Length:13cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-150L/H	54x35x28	3000	15
	XF1745C 18cm	<u>Centrifugal Bubbler dripper</u>	Length:18cm Working Pressure:1.5-3.0bar Max distance:0.5m Flow:0-150L/H	54x35x28	2500	15
	XF1745C 26cm	<u>Centrifugal Bubbler dripper</u>	Length:26cm W.P.:1.5-3.0bar Max distance:0.5m Flow:0-150L/H	54x35x28	2500	15
	XF1745C 30cm	<u>Centrifugal Bubbler dripper</u>	Length:30cm W.P.:1.5-3.0bar Max distance:0.5m Flow:0-150L/H	54x35x28	2500	15



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1768-01	<u>PVC Hose (3/5mm)</u>	Material:PVC O.D:5.0mm I.D:3.0mm	54x35x28	1000	18
	XF1768-02	<u>PVC Hose (4/7mm)</u>	Material:PVC O.D:7.0mm I.D:4.0mm	45x45x60	1000	23
	XF1768-03	<u>PVC Hose (9/11mm)</u>	Material:PVC O.D:11mm I.D:9mm	54x35x28	500	23
	XF1771-01A	<u>Stake with 3/8\"F&1/2\"M</u>	Material:PP Connecting size:3/8\"F&1/2\"M PVC hose length:50cm	50x39x28	160	10
	XF1771-01B	<u>Stake Set</u>	Material:PP Connecting size:3/8\"F&1/2\"M Stake length:38cm PVC hose length:50cm	50x39x28	160	10
	XF1771-02B	<u>Stake with 3/8\"F</u>	Material:PP Connecting size:3/8\"F&1/2\"M Stake length:50cm PVC hose length:50cm	50x39x28	160	10
	XF1772-01	<u>Bubbler Stake</u>	Material:PP Stake length:30cm	50x33x33	280	13
	XF1773-01	<u>Refraction set</u>	PVC hose length:1.2m Pole length:1.2m 2pcs connectors 1pcs 1/2\"female connector	125x29x29	280	11.4
	XF1773-02	<u>SS201 Set</u>	PVC hose length:1.2m SS201 Pole length:1.2m 2pcs connectors 1pcs 1/2\"female connector	125x29x29	280	11.4



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1774-01	<u>Stake</u>	Material:PP Length:42.5cm	45x38x36	500	14
	XF1775-01A 33cm	<u>Stake</u>	Material:PP Length:33cm	54x35x28	400	14
	XF1775-01A 43cm	<u>Stake</u>	Material:PP Length:43cm	54x35x28	300	14
	XF1775-01B 33cm	<u>Stake with PVC hose</u>	Material:PP Stake Length:33cm PVC Hose length:50cm	54x35x28	350	16.5
	XF1775-01B 43cm	<u>Stake with PVC hose</u>	Material:PP Stake Length:43cm PVC Hose length:50cm	54x36x29	300	16.5
	XF1776-01B 30cm	<u>Stake with PVC hose</u>	Material:PP Stake Length:30cm PVC Hose length:50cm	54x36x29	300	16.5
	XF1776-01B 50cm	<u>Stake with PVC hose</u>	Material:PP Stake Length:50cm PVC Hose length:50cm	54x36x29	300	16.5
	XF1776-01B 60cm	<u>Stake with PVC hose</u>	Material:PP Stake Length:60cm PVC Hose length:50cm	54x36x29	300	16.5
	XF1721-01A	<u>4-way Fogger</u>	W.P.:3-4bar Max distance:1.2m Flow:24-28L/H	54x35x30	1000	13



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1721-01B	<u>4-way Fogger Set</u>	W.P.:3-4bar Max distance:1.2m Flow:24-28L/H	54x35x29	1000	13
	XF1721-01C	<u>4-way Fogger Hanging Set</u>	W.P.:3-4bar Max distance:1.2m Flow:24-28L/H	54x35x29	1000	13
	XF1721-02A	<u>2-way Fogger</u>	W.P.:3-4bar Max distance:1.2m Flow:12-14L/H	54x35x29	2000	13
	XF1722-01A	<u>5-Nozzle Fogger</u>	W.P.:2.5-4.0bar Max distance:0.9-1.0m Flow:30.5-38.3L/H	54x35x29	700	17.2
	XF1722-01B	<u>5-Nozzle Fogger With Barbed Adaptor</u>	W.P.:2.5-4.0bar Max distance:0.9-1.0m Flow:30.5-38.3L/H	54x35x29	700	18
	XF1722-01F	<u>5-way Fogger Hanging Set</u>	Fogger:1pc Barbed connector:1pc Hammer:1pc Anti-drip valve:1pc 50CM PVC hose:1pc W.P.:2.5-4.0bar Max distance:0.9-1.0m Flow:30.5-38.3L/H	54x35x29	300	13
	XF1722-02A	<u>Fogger</u>	Distance:0.9-1.0m Max distance:0.5m Working Pressure:2.5-4bar	54x35x29	3000	13.3
	XF1722-02I	<u>Fogger</u>	Size:1/2"M W.P.:1.03-1.72bar Max distance:5-6m Flow:295-384L/H	54x35x29	2000	13



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1722-03A	<u>4-Nozzle Fogger</u>	W.P.:2.5-4.0bar Max distance:0.9-1.0m Flow:24.4-30.6L/H	54x35x29	1000	20.5
	XF1723-01A 0.5mm	<u>Fogger</u>	W.P.:2.5-4bar Max distance:0.5m Flow:16 L/H Connecting O.D:6mm	54x35x29	5000	13
	XF1723-02A 0.6mm	<u>Fogger</u>	W.P.:2.5-4bar Max distance:0.5m Flow:10.8 L/H Connecting O.D:6mm	54x35x29	5000	13
	XF1723-03A 0.7mm	<u>Fogger</u>	W.P.:2.5-4bar Max distance:0.5m Flow:5.52L/H Connecting O.D:6mm	54x35x29	5000	13
	XF1723-06B 0.7mm	<u>1-Nozzle Fogger Hanging Set</u>	W.P.:2.5-4bar Max distance:0.5m Flow:16 L/H Connecting I.D:6mm	54x35x29	500	13
	XF1724-01A 0.5mm	<u>4-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:22 L/H	54x35x29	1000	13
	XF1724-02A 0.6mm	<u>5-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:43.3 L/H	54x35x29	1000	13
	XF1724-03A 0.7mm	<u>4-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:63.75 L/H	54x35x29	1000	13
	XF1724-03B 0.7mm	<u>4-Nozzle Fogger Hanging Set</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:63.75 L/H	54x35x29	400	13



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1725-01A	<u>Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:6.1-10.1 L/H	54x35x29	5000	12.75
	XF1725-02A	<u>Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:6.1-10.1 L/H	54x35x29	5000	12.25
	XF1725-03A	<u>4-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:24.4-40.3L/H	54x35x29	2000	15.8
	XF1725-04A	<u>4-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:24.4-40.3L/H	54x35x29	2000	15
	XF1725-05A	<u>4-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:24.4-40.3L/H	54x35x29	800	13
	XF1725-06A	<u>4-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:24.4-40.3L/H	54x35x29	800	13
	XF1725-07A	<u>5-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:30.5-50.5L/H	54x35x29	1000	15.9
	XF1725-08A	<u>5-Nozzle Fogger</u>	W.P.:2.5-4bar Max distance:0.9-1.0m Flow:30.5-50.5L/H	54x35x29	1000	15.9
	XF1726-01A	<u>Fogger</u>	W.P.:1.5-3.0bar Flow:40-55L/H Max distance:1-1.1m	54x35x29	20000	21




MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1726-02 090 degree	<u>Fogger</u>	90°	53x42x31	50000	21
	XF1726-02 180 degree	<u>Fogger</u>	180°	53x42x31	50000	20
	XF1726-02 360 degree	<u>Fogger</u>	360°	53x42x31	50000	20
	XF1726-04A	<u>Fogger</u>	360°	54x35x29	50000	13
	XF1726-04B	<u>Fogger</u>	360°	54x35x29	50000	13
	XF1726-05 360 degree	<u>Fogger</u>	360°	53x42x31	50000	20
	XF1765-01	<u>Hanging set</u>	Barbed connector:1pc Hammer:1pc Anti-drip valve:1pc 50CM PVC hose:1pc	54x35x28	500	14
	XF1765-02	<u>Hanging set</u>	Barbed connector:1pc Hammer:1pc Anti-drip valve:1pc 50CM PVC hose:1pc	54x35x28	500	14



MID DISTANCE & MICRO SPRINKLER — PRODUCT CATALOG

Picture	Item No.	Name	Technical Data	Outer Packing L×W×H (CM)	QTY/CTN (PCS)	G.W. (KG)
	XF1765-03	<u>Hanging set</u>	Barbed connector:1pc Hammer:1pc Anti-drip valve:1pc 50CM PVC hose:1pc	54x35x28	500	14