



IrriNex
— SMART IRRIGATION SOLUTIONS —

ZLONG LIMITED

Agricultural Irrigation Product Catalog 2026

Drip Irrigation Tape • PE Pipes • Fittings • Irrigation System
滴灌带、管材、配件、灌溉系统



Company: ZLONG LIMITED



Brand: IrriNex




Website: <https://irrinex.com>



E-mail: info@irrinex.com



WhatsApp: +852-62766614



Website



WhatsApp



About IrriNex

关于我们




IrriNex is an agricultural irrigation product brand under ZLONG LIMITED, focusing on drip irrigation, micro irrigation, sprinkler irrigation, filters, valves, fittings and complete irrigation product supply for global distributors and project buyers.

We support mixed-container purchasing, OEM/ODM packaging, product matching and export-document preparation for agricultural irrigation orders.



Our mission is efficient irrigation, reliable supply and sustainable agriculture.



Drip Irrigation



Micro Irrigation



Sprinkler Irrigation



Filters



Valves & Fittings

QUALITY & SUPPLY SUPPORT



Stable Product Supply

Reliable support for regular agricultural irrigation purchasing.



Product Specification

Size, flow rate, spacing and packing details can be confirmed before order.



OEM / ODM Packaging

Private label, neutral packing and carton label support available.



Pre-Shipment Inspection

Product model, quantity, appearance, packing and labels are checked before loading.



Export Document Support

Commercial invoice, packing list, B/L and standard trade documents can be supported.

Product Range

产品范围

Main categories in this catalog



Contents

目录



01

DRIP IRRIGATION
WITH FITTINGS
滴灌 & 配件

- Drip tape with flat emitter in-line
- Double color composite flat emitter drip tape
- Labyrinth drip tape
- Widened filter window labyrinth drip tape
- Outer white and inner black composite labyrinth drip tape
- Pressure compensating drip tape
- Drip hose with cylindrical emitter in-line
- Drip irrigation fittings



02

SPRAY IRRIGATION
WITH FITTINGS
喷灌 & 配件

- PE micro spray hose
- Swing sprinkler
- Micro-sprinkler
- Rain gun with fittings
- Micro-sprinkler fittings
- On line dripper



03

MAIN LINE HOSE
WITH FITTINGS
主管带 & 配件

- PE layflat hose / Pre-punched flat hose
- PE pipes
- Outer white inner black LDPE composite pipe
- PE braided hose
- PVC coated hose
- PE pipes fittings
- Main line fittings



04

PP COMPRESSION
FITTINGS WITH PVC VALVES
PP快速接头 & PVC阀门

- PP compression fittings
- PVC valves



05

OTHER PRODUCTS
其他灌溉配套产品

- Other products

01 滴灌 & 配件 DRIP IRRIGATION WITH FITTINGS

Drip irrigation tape - a precision irrigation and efficient water-saving product, with precise flow control as its core advantage, is the preferred choice for improving the quality and efficiency of modern agriculture. It is widely applicable to diverse planting scenarios such as fields, greenhouses, and orchards.

滴灌带--精准灌溉高效节水装备,以精准控流为核心优势,是现代农业提质增效的优选,广泛适用于大田、大棚、果园等多元种植场景。

DRIP TAPE WITH FLAT EMITTER IN-LINE 内镶贴片式滴灌带

Product features / 产品特点

Drip tape with flat emitter In-line is a special irrigation tool for precise, slow, even, and continuous small quantities water drops application to partial root-zone, which own advantages of saving water, combination of irrigation and fertilization, reduction of labor force, and high irrigation efficiency, etc.

内镶贴片式滴灌带采用嵌入式贴片结构,出水稳定均匀,精准直达作物根系,滴水缓释、长效补水。省时省工,降低人工浇灌成本,适配大田、果园、大棚等各类种植场景。



Customized service / 定制服务

- ▶ 整柜可免费提供一个客户指定包装
- ▶ 支持缠绕膜和热缩膜两种包装方式
- ▶ 可定制激光刻印LOGO及双划线标识
- ▶ 可按需定制特殊壁厚、孔间距及卷长
- ▶ 可选配加强筋结构

- ▶ One set of customized packaging can be provided free of charge for a full container
- ▶ Wrapping film packaging and heat shrink film packaging can be choosed
- ▶ Customized laser logos and double lines can be offered.
- ▶ Special wall thickness, hole spacing and roll length can be customized according to customer requirements.
- ▶ Reinforced drip tapes can be available.

Product specifications / 产品规格

Dia.(mm) 管径	Wall thickness (mm) 壁厚	Spacing(cm) 滴头间距	Flow rate(L/h) 流量	Working pressure (bar) 工作压力	Roll length(m) 卷长
12	0.15/0.16/0.18/0.20/0.30/0.40	10/15/20/25/30/40/60	0.35/0.75/1.1/1.38/2.0/2.7/4	0.8-2.0	1000/ 2000/ others
16	0.15/0.16/0.18/0.20/0.30/0.40/0.50/0.60	10/15/20/25/30/40/60	0.35/0.75/1.1/1.38/2.0/2.7/4	0.8-2.0	
20	0.15/0.16/0.18/0.20/0.30/0.40	10/15/20/25/30/40/60	0.35/0.75/1.1/1.38/2.0/2.7/4	0.8-2.0	
22	0.15/0.16/0.18/0.20/0.30/0.40	10/15/20/25/30/40/60	0.35/0.75/1.1/1.38/2.0/2.7/4	0.8-2.0	

DOUBLE COLOR COMPOSITE FLAT EMITTER DRIP TAPE 双色复合型贴片式滴灌带

Product features / 产品特点

- 1.Multi-scenario Compatibility: Suitable for various professional scenarios such as soilless cultivation, orchard irrigation and protected horticulture, meeting the needs of different crops.
- 2.Double-layer Temperature Control: The inner black layer blocks sunlight to prevent algae and bacteria growth; the outer layer reflects heat to reduce water temperature fluctuation, providing a stable growing environment for crop roots.
- 3.UV-resistant & Anti-aging: Made of UV-resistant materials, it effectively extends service life and reduces replacement frequency and costs.

1. 多场景适配:适用于无土栽培、果园灌溉、设施园艺等多种专业场景,满足不同作物需求。
2. 双层温控:内层黑色阻隔阳光,防止藻菌滋生;外层反射热量,降低水温波动;为根系提供稳定的生长环境。
3. 抗UV耐老化:采用抗紫外线材料,有效延长使用寿命,降低更换频率和成本。



For specific specifications and flow rates, please refer to the drip tape with flat emitter in line.具体规格与流量请参考内镶贴片式滴灌带

LABYRINTH DRIP TAPE 内镶连续贴条式滴灌带

Product features / 产品特点

- 1.Continuous filter flow channels combined with wide water outlets can quickly discharge sediment and impurities. The self-filtering window of the dripper performs preliminary filtration to block large particulate impurities. With double protection, it thoroughly solves clogging problems and ensures long-term stable operation of the system.
- 2.Adopting laser punching and cutting technology, the water outlets are uniform in size and evenly spaced. Every crop gets an equal supply of water, ensuring consistent growth and achieving dual improvement in yield and quality.



- 1.连续式过滤流道可快速排出泥沙杂质,滴头自过滤窗初步过滤,阻挡大颗粒杂质。双重保障,彻底解决堵塞难题,保证系统长期稳定运行。
- 2.采用激光打孔、刀切口技术,出水孔大小一致,间距均匀。每株作物获得等量水分,生长一致,产量和品质双提升。

Product specifications / 产品规格

Dia. (mm) 管径	Wall thickness (mm) 壁厚	Spacing(cm) 滴头间距	Flow rate(L/h) 流量	Working pressure (bar) 工作压力	Roll length(m) 卷长
16	0.15	10-70	0.8/1.0/1.1/ 1.4/1.6/2.0/ 2.2/2.5/2.7	1.0	1000/ 2000/ others
16	0.16	10-70		1.0	
16	0.17	10-70		1.0	
16	0.18	10-70		1.0	
16	0.20	10-70		1.0	
16	0.30	10-70		1.5	
16	0.40	10-70		1.5	

Customized service / 定制服务

- One set of customized packaging can be provided free of charge for a full container.
- Wrapping film packaging and heat shrink film packaging can be chosen.
- Customized laser logos and double lines can be offered.
- Special wall thickness, hole spacing and roll length can be customized according to customer requirements.


- 整柜可免费提供一套客户指定包装
- 可提供缠绕膜和热缩膜两种包装方式
- 可定制客户指定激光LOGO和双划线
- 可按需定制特殊壁厚、孔间距及卷长等



WIDENED FILTER WINDOW LABYRINTH DRIP TAPE 加宽过滤窗贴条滴灌带

传统内镶连续贴条式滴灌带的升级品

Upgraded products



传统内镶连续贴条式滴灌带
Traditional labyrinth drip tape

Product features / 产品特点

With a comb-like turbulent flow channel design. The water undergoes multiple impacts in the flow channel, has a certain pressure compensation effect, ensuring the stability of the water discharge flow under different water pressures. Due to the filter window and flow channel design that effectively reduces clogging, extend the service life. Suitable for various terrains and soil conditions, including open fields, greenhouses, orchards and more.

采用梳齿状紊流流道设计,出水均匀性高,具有一定的压力补偿作用,保证在不同水压下出水流量的稳定性。过滤窗和流道设计能够有效减少堵塞,延长滴灌带的使用寿命。适用于多种地形和土壤条件,包括大田作物、温室大棚、果园等。

Knife punching 刀切口	Items 项目	Laser punching 激光口
		
About 约12-15mm	Punching length 切口长度	About 约 8-10mm
0.8-1.0bar	Required working press. 工作压力要求	0.6-1.0bar
Normally close 常闭式	Punching status 出水口特点	Normally open 常开式
Can be both work for shallow burial laying and soil surface laying 浅埋或地表铺设均可	Using condition 使用环境	Can be both work for shallow burial laying and soil surface laying 浅埋或地表铺设均可
The working pressure requirements are strict and can prevent siphoning 使用压力要求严格,可以防虹吸	Using features 使用特点	The working pressure requirements are loose and can not prevent siphoning 使用压力要求宽松,无防虹吸功能

For specific specifications and flow rates, please refer to the drip tape with flat emitter in line, with flow rates of: 0.70/1.00/1.30/2.30/2.60L

具体规格请参考内镶连续贴条式滴灌带,流量为:0.70/1.00/1.30/2.30/2.60L

OUTER WHITE AND INNER BLACK COMPOSITE LABYRINTH DRIP TAPE 外白内黑复合型贴条滴灌带

Product features / 产品特点

Based on the production process of the traditional labyrinth drip tape, it has been upgraded to an outer-white and inner-black two-color composite labyrinth drip tape. It features strong temperature-control capability, enhanced anti-aging performance, and refined application scenarios with high functional pertinence, meeting the professional needs of drip irrigation technology in various application scenarios.

NEW 升级更耐用:外白内黑双色结构,保留传统性能,升级温控+抗老化+场景适配。水温更稳定,寿命更长,适配果园/温室/无土栽培。

For specific specifications and flow rates, please refer to the drip tape with flat emitter in line.

具体规格与流量请参考内镶连续贴条式滴灌带



PRESSURE COMPENSATING DRIP TAPE 压力补偿式滴灌带

Product features / 产品特点

- 1.Built-in PC emitters ensure stable water output and uniform irrigation.
- 2.Features PC anti-drip function.
- 3.Suitable for long-distance laying on flat land, hilly areas and sloped land.
- 4.Reduces labor costs and investment in agricultural irrigation facilities.

- 1.内置压力补偿滴头, 出水量稳定, 灌溉均匀。
- 2.具备压力补偿防滴漏功能。
- 3.可用于平地较长距离铺设或丘陵地坡地等。
- 4.降低人工成本和农业灌溉设施投入。



Product specifications / 产品规格

Dia.(mm) 管径	Wall thickness (mm) 壁厚	Spacing(cm) 滴头间距	Flow rate(L/h) 流量	Working pressure (bar) 工作压力	Roll length(m) 卷长
16	0.40	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-1.8	700/800
16	0.60	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.0	500
16	0.80	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.2	500
16	1.00	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.5	500
20	0.80	20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-1.8	500
20	0.90	20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.0	500
20	1.00	20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.2	500
20	1.20	20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.5	500
22	0.40	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-1.8	500
22	0.60	15/20/30/40/50/100	0.8/1.0/1.5/2.0	1.0-2.0	500

Customized service / 定制服务

- ▶ Customized laser logos and double lines can be offered.
- ▶ Special wall thickness, hole spacing and roll length can be customized according to customer requirements.
- ▶ 滴灌带可定制客户指定激光LOGO和双划线。
- ▶ 特殊壁厚, 孔间距, 卷长可根据客户需求定制。

DRIP HOSE WITH CYLINDRICAL EMITTER IN-LINE 内镶圆柱式滴灌管

Product specifications / 产品规格

Dia.(mm) 管径	Wall thickness (mm) 壁厚	Spacing(cm) 滴头间距	Flow rate(L/h) 流量	Working pressure (bar) 工作压力	Roll length(m) 卷长
6	0.80	15-100	1.2/2.0	2.0	500
16	0.60	15-100	2.0/3.0/4.0	1.0-2.0	500
16	0.70	15-100	2.0/3.0/4.0	1.0-2.0	500
16	0.80	15-100	2.0/3.0/4.0	1.2-2.5	500
16	0.90	15-100	2.0/3.0/4.0	1.2-2.5	500
16	1.00	15-100	2.0/3.0/4.0	1.5-3.0	500
16	1.10	15-100	2.0/3.0/4.0	1.5-3.0	500
16	1.20	15-100	2.0/3.0/4.0	1.5-3.0	500
20	1.0-1.2	15-100	2.0/3.0/4.0	2.0	500

Product features / 产品特点



1. Wide maze flow channel + large-area water inlet filter, less prone to clogging.
1.宽迷宫流道+大面积进水滤口, 不易堵。
- 2.The embedded dripper is not prone to falling off, and is resistant to trampling and agricultural machinery rolling.
2.内嵌滴头不脱落, 耐踩踏、耐农机碾压
- 3.It has strong adaptability in laying, suitable for both surface laying and underground laying, and is applicable to long-distance laying in mountainous areas, orchards, green-houses, fields, etc.
3.铺设适配性强, 可地表铺、可地埋, 适用于山地、果园、大棚、大田、等长距离铺设。

COUPLINGS
接头

Lock nut fittings (PP) / 锁母配件

Drip tape fitting
barbed coupling
硬管锁母直接



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3011703A	17*16	1100	54*36*29
3012007A	16*20	1000	46*41*37
3012007B	20*20	800	46*41*37
3011609A	16*16	1200	46*41*37

Lock coupling
锁母直接



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3011600A	16	1200	47*36*41
3012000A	20	600	47*36*41
3011700A	17	800	54*36*29

Male lock elbow
外丝锁母弯头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3071601A	16*1/2"	1400	47*36*54
3071701A	17*1/2"	800	54*36*29
3071701B	17*3/4"	700	54*36*29

Male thread lock offtake
外丝锁母旁通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3011603A	16*1/2"	1600	47*36*41
3011608A	16*3/4"	1400	47*36*41
3012003A	20*1/2"	1000	47*36*54
3011705A	17*1/2"	1100	54*36*29
3011705B	17*3/4"	1000	54*36*29

Lock offtake
定位反向锁母旁通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3011605B	16*12	1800	47*36*41
3011702A	17*12	1000	54*36*29

Female lock offtake
锁母内丝旁通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3011607A	16*3/4"	700	47*36*54
3011706A	17*1/2"	900	54*36*29
3011706B	17*3/4"	800	54*36*29

Lock offtake
锁母旁通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3011606D	16*13	1200	47*36*54
3012006A	20*16	800	47*36*54
3011701A	17*12	1100	54*36*29

Lock elbow
锁母弯头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3071600A	16	1300	47*36*54
3072000A	20	700	47*36*54
3071700A	17	600	54*36*29

ACCESSORIES SERIES
配件系列

The drip tape fitting series includes mini valves, lock nut fittings, pull ring fittings and more. It is compatible with the connection and control of various drip tapes, and widely used in agricultural irrigation, orchards, greenhouses, vegetable greenhouses, soilless cultivation and other scenarios.

滴灌带配件系列包括迷你阀、锁母配件、拉环配件等, 适配各类滴灌带连接与控制, 广泛应用于农业灌溉、果园温室、蔬菜大棚及无土栽培等多种场景。

COUPLINGS

接头

Lock nut fittings (PP) / 锁母配件

Male lock tee
外丝锁母三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3041601A	16*1/2"	800	47*36*54
3042001A	20*1/2"	450	47*36*54
3041702A	17*1/2"	400	54*36*29
3041702B	17*3/4	400	54*36*29

Lock tee
锁母三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3041605A	16	800	47*36*54
3042005A	20	450	47*36*54
3041700A	17	350	54*36*29

Offtake for soft layflat hose
软带鸭嘴旁通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3011604A	16	1000	47*36*54
3012004A	20	800	47*36*54
3011704D	17	800	54*36*29

Press button type tee
按扣三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3041704A	17*8	500	54*36*29

Layflat hose tee
软带三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3041603A	16	500	47*36*54
3042003A	20	350	47*36*54
3041706A	17	300	54*36*29

Lock end cap
锁母堵头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3101600A	16	1800	47*36*41
3102000A	20	1600	47*36*54
3101701A	17	1300	54*36*29

Lock offtake for soft layflat hose
软带旁通 (分体)



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3011604C	16	1400	47*36*54

Lock tee for soft layflat hose
软带锁母三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3041602A	16	1100	47*36*54

COUPLINGS

接头

Lock ring fittings (PP) / 拉环配件

Male lock ring elbow
外丝拉环弯头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3091600A	16*1/2"	1500	47*36*54

Male thread lock ring tee
外丝拉环三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3061600A	16*1/2"	1300	47*36*54

Lock ring tee
小体软带拉环三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3061601A	16	1100	47*36*54

Lock ring coupling
拉环直接



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3031600A	16	2000	47*36*54

Lock ring offtake
拉环旁通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3031602A	16*1/2"	2800	47*36*54

Lock ring end cap
拉环堵头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3121600A	16	3200	47*36*41

Lock ring coupling
管带拉环直接



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3031601A	16	2400	47*36*54

Lock ring coupling
拉环直接



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3031600C	15	6000	120*70*25

MINI VALVES

迷你阀

Mini valves POM / 迷你阀 POM

Positioning bypass valve
定位旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131609A	16*12	600	47*36*41

Offtake valve
软带旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131603A	16	520	47*36*54

Double-lock valve
双锁母直通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131602A	16	500	47*36*41
3132002A	20	400	47*36*41

Offtake valve
锁母旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131601A	16*12	750	47*36*41
3132001A	16*20	500	47*36*41

Single-lock female
straight-through valve
单锁母直通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131605A	16*16	700	47*36*41
3132005A	16*20	600	47*36*41

Male locknut bypass valve
外丝锁母旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131610A	16*1/2"	600	47*36*41
3131610B	16*3/4"	600	47*36*41
3132010A	20*1/2"	500	47*36*41
3132010B	20*3/4"	500	47*36*41

Straightway valve
承插直通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3141601A	16*16	750	47*36*41
3142001A	20*20	700	47*36*54
3142501A	25*25	650	47*36*54
3143201A	32*32	200	50*34*39

Offtake valve
外丝承插阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3141605A	16*1/2"	700	47*36*41
3141605B	16*3/4"	700	47*36*41
3142004A	20*1/2"	700	47*36*41
3142004B	20*3/4"	650	47*36*41
3142504A	25*3/4"	650	47*36*54

MINI VALVES

迷你阀

Mini valves PP / 迷你阀 PP

Single-lock female
straight-through valve
单锁母直通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3132005E	16*16	500	45*35*35

Positioning bypass valve
定位旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131609E	16*12	600	50*40*38

Straightway valve
双锁母直通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131602D	16*16	500	54*38*33

Offtake valve
锁母旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131601B	16*12	600	50*40*38
3131602B	16*14	500	50*40*38

Male straight way valve
外丝直通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3131606A	16*1/2"	500	45*35*35
3131606B	16*3/4"	500	45*35*35

Barb bypass valve
承插旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3141606E	16*12	500	45*35*35
3142506B	20*25	500	54*38*33

Offtake valve
外丝承插阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(m) 单件包装尺寸
3141605C	16*1/2"	500	45*35*35
3141605D	16*3/4"	500	45*35*35
3142005C	20*1/2"	500	45*35*35
3142005D	20*3/4"	500	45*35*35
3142505B	25*1/2"	500	54*38*33
3142505C	25*3/4"	500	54*38*33

Straightway valve
承插直通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
3141601C	16*16	500	45*35*29
3142001C	20*20	500	45*35*35
3142501B	25*25	500	54*38*33

02 喷灌 & 配件

SPRAY IRRIGATION WITH FITTINGS

Sprinkler irrigation products are suitable for various agricultural scenarios such as field crop irrigation, orchard irrigation and vegetable greenhouse irrigation. They feature large coverage, uniform water distribution, water saving and labor saving.

喷灌产品适用于大田作物灌溉、果园灌溉、蔬菜大棚灌溉等多种农业场景，覆盖面积大，灌溉均匀，节水省力。

PE MICRO SPRAY HOSE

PE微喷带

Product features / 产品特点

Adopting high-quality raw materials and professional craftsmanship, the product is formed by one-time extrusion and equipped with precision laser perforation. It features uniform hole diameter, stable water output, excellent pressure resistance and tensile strength. Lightweight and easy to lay, it saves labor and effort, and supports customized inkjet coding and packaging.

采用优质原料与专业工艺，一次挤出成型，搭配精密激光打孔，孔径均匀、出水稳定、耐压抗拉伸；产品轻便易铺、省工省力，支持喷码与包装定制。



Product specifications / 产品规格

Dia. (mm) 直径	Width (mm) 折径	Thickness (mm) 壁厚	Holes punched Qty/Set 打孔数	Holes spacing (cm) 孔间距	Spray width (m) 喷洒宽度	Working pressure (bar) 工作压力	Roll length (m) 卷长	MOQ. (roll) 最小起订量(卷)
16	25	0.15-0.20	2/3/5	10/15/20/30	1.0-1.5	0.3-0.5	100/200	500
20	32	0.16-0.25	3/5	10/15/20/30	1.2-1.6	0.3-0.8	100/200	500
25	40	0.16-0.40	3/5	10/15/20/30	1.5-2.5	0.3-0.8	100/200	500
28	45	0.16-0.40	3/5/7	10/15/20/30	2.5-3.5	0.3-0.8	100/200	300
32	50	0.20-0.40	3/5/7	10/15/20/30	2.5-4.0	0.3-0.8	100/200	300
40	63	0.20-0.40	5/7	10/15/20/30	3.0-5.0	0.3-0.8	100/200	300
50	80	0.30-0.50	5/7	10/15/20/30	5.0-9.0	0.5-1.0	100/200	200
63	100	0.30-0.50	7/9	10/15/20/30	6.0-10.0	0.5-1.0	100/200	100
75	120	0.30-0.50	7/9	10/15/20/30	7.0-11.0	0.5-1.0	100/150	100

以上是常见的规格，厚度、孔数、间距以及长度均可定制。
These are the standard specifications. Thickness, number of holes, spacing and length can all be customized.

SWING ARM SPRINKLER 摇臂喷头

Full-circle rocker arm sprinkler head(POM) / 全圆摇臂喷头(POM)



No. 编码	Interface size 接口尺寸	Pressure(bar) 工作压力	Range radius(m) 射程半径	Flow rate(m³/h) 参考流量	Packing(pcs/ctn) 包装数量	Carton size(m) 单件包装尺寸
63120001	G1/2"	1-2	10-11	0.8-1	250	45*35*28
63120002	G1/2"	1-2	10-11	0.8-1	250	45*35*28
63120003	G1/2"	1.5-4.0	9-13	0.5-1.75	200	45*35*28
63120006	G3/4"	2.5-5.0	10-11	0.7-3	100	45*35*28
63125009	G3/4"	2.5-5.0	13-19	0.7-3	100	45*35*28



No. 编码	Interface size 接口尺寸	Pressure(bar) 工作压力	Range radius(m) 射程半径	Flow rate(m³/h) 参考流量	Packing(pcs/ctn) 包装数量	Carton size(m) 单件包装尺寸
63132008	G1"	2.0-5.0	18-25	4.5-12.5	50	58*42*33
63120010	G1/2"	1.5-3	8-12	0.8-1.35	300	61*41*45
63120012	G1/2"	1.5-3	10-11	0.9-1.3	150	45*35*32
63125015	G1"	2.0-5.0	18-25	2.5-7.0	50	45*35*32
63125027	G1",3/4"	2.0-5.5	12-19	0.8-3.25	50	45*35*36.5



No. 编码	Interface size 接口尺寸	Pressure(bar) 工作压力	Range radius(m) 射程半径	Flow rate(m³/h) 参考流量	Packing(pcs/ctn) 包装数量	Carton size(m) 单件包装尺寸
63125013	G3/4"	0.5-3.0	8-15	0.6-3	100	45*35*24
63125014	G3/4"	0.5-3.0	8-15	0.7-3	100	45*35*28
63125015	G3/4"	2.0-3.0	8-15	3-1.19	100	45*35*24
63125016	G3/4"	2.0-3.0	8-15	0.3-1.19	100	36*36*31
63125017	G3/4"	0.5-3.0	8-15	0.6-3.0	100	36*36*31

SWING ARM SPRINKLER 摇臂喷头

Adjustable rocker arm sprayer / 可调节摇臂喷头



No. 编码	Interface size 接口尺寸	Pressure(bar) 工作压力	Range radius(m) 射程半径	Flow rate(m³/h) 参考流量	Packing(pcs/ctn) 包装数量	Carton size(m) 单件包装尺寸
63120005	G1/2"	1.5-4.0	12-18	0.3-1.3	250	45*35*28
63132013	G1"	2.0-5.0	18-25	2.5-7.0	50	45*35*39.5
63150002	G3/4"	2.0-6.0	20-36	9.12-31.98	20	40*33*38.5


Mega nozzle(PP) / 麦格喷头(PP)



No. 编码	Interface size 接口尺寸	Pressure(bar) 工作压力	Range radius(m) 射程半径	Flow rate(m³/h) 参考流量	Packing(pcs/ctn) 包装数量	Carton size(m) 单件包装尺寸
63120016	G1/2"	2.0-3.0	5.0-7.0	0.8-1	250	45*35*28
63120017	G3/4"	2.0-3.0	7.0-8.5	0.8-1	250	45*35*28
63125031	G3/4"	2.0-3.0	7.0-8.5	0.5-1.75	200	45*35*28




MICRO-SPRINKLER
微喷头



No. 编码	Product name 产品名称	Interface size 接口尺寸	Spray angle 喷洒角度	Spray radius(m) 喷洒半径	Work. Press. (bar) 压力	Flow rate(L/h) 参考流量	MOQ(pcs) 最小起订量
1905001	Micro sprinkler mist C型折射	6mm/7.5mm	360°	2-3	1.5-2	80-120	5000
1905011	Micro sprinkler mist C型折射	7.5mm	180°	3-5	2-3	120-200	5000
1905015	Micro sprinkler mist C型折射	6mm/7.5mm	360°	0.6-2	1-2	80-100	5000
1908006B	Medium-range butterfly sprinkler 中距离蝶形喷头	1/2"	360°	5-6	1-3	300-450	1500
1908020	Medium-range sprinkler 中距离喷头	1/2"	360°	2.5-4	2-4	800-1200	500
1908037	Medium-range sprinkler 中距离喷头	1/2"	360°	6.5	3	600	500
1906029	Square refraction atomizing sprinkler 方形折射雾化喷头	6mm/7.5mm	360°	2	1-3	0-30	2500
1906030	Square refraction atomizing sprinkler 方形折射雾化喷头	6mm/7.5mm	360°	0.5-1.5	1.5-3	80-100	2500
1908002	Medium-range sprinkler 中距离喷头	1/2"&3/4"	360°	6-7	1-3	500-800	1000
1908003	Medium-range sprinkler 中距离喷头	1/2"&3/4"	360°	3-5.5	1.5-2.5	500-800	1000
1908027	Medium-range sprinkler 中距离喷头	1/2"	360°	3-6	1-2.5	800-1300	1000
1908017	Kaka sprinkler 卡卡喷头	1/2"	360°	4-5	2-4	0-380	300

MICRO-SPRINKLER
微喷头



No. 编码	Product name 产品名称	Interface size 接口尺寸	Spray angle 喷洒角度	Spray radius(m) 喷洒半径	Work. Press. (bar) 压力	Flow rate(L/h) 参考流量	MOQ(pcs) 最小起订量
1908005B	Medium-range butterfly sprinkler 中距离喷头	1/2" 3/4"	360°	7-8	1-3	760-1100	150
1908014	Waterbird rotating sprinkler 自动旋转水鸟型喷头	1/2"	360°	10	2-3.5	500-700	240
1908029	Mosquito repellent spray sprinkler 防蚊喷头	1/2"	360°	3.5-4	2-4	200-320	1000
1908012	Flywheel sprinkler 飞轮喷头	1/2"	360°	10	5-5.5	230-250	2000
1908013	Desktop medium-range micro sprinkler 台式中距离微喷头	1/2"	360°	3-6	1.5-3	140-750	5000
1906014A	Micro sprinkler 宾耐特蓝色雾化喷头	6mm/7.5mm	360°	1-2	1.5-3	90-130	2000
1906036A/B	90/180° fruit tree sprinkler 90/180° 果树喷头	4mm	90°/180°	0.5-1.3	1.5-3	40-60	3000
1906036C	360° fruit tree sprinkler 360° 果树喷头	4mm	360°	0.5-1.3	1.5-3	40-60	3000
1906031	Cross-type atomizing sprinkler 十字雾化喷头	6mm	360°	1.5-3	1.5-3	35-40	2500
1906040	Cross-type atomizing sprinkler 十字雾化喷头	6mm	360°	1-1.5	1-1.5	100-160	2500
1906002	Atomizing sprinkler 雾化喷头	6mm	360°	0.3-0.4	1-2.5	0-20	5000
1906010	Atomizing sprinkler 雾化喷头	6mm	360°	0.5-0.8	1.5-3	7-20	5000

RAIN GUN WITH FITTINGS

喷枪



6212501A



6213202B



6213201A



6214001A



6215002B



6215001



6216301



6217501



621W60ADJ



621W60ADJ-PRO



6216304C



6216305A



6216302A



6216302B



6216303A



6216303B



6225001A



6213291A 6217592A



6213290A/B 6212590A/B/C



6217593A/B/C

RAIN GUN WITH FITTINGS

喷枪

No. 编码	Product Name 产品名称	Interface Size 接口尺寸	Nozzle Dia.(mm) 喷嘴直径	Work. Press.(mpa) 工作压力	Flow(m³/h) 参考流量	Spray Rad.(m) 喷洒半径
6212501A	Metal swing arm nozzle 中距离喷头	3/4"	5.0*3.0	0.2-0.3	2-3	10-15
6213202B	Metal swing arm nozzle 自动旋转水鸟型喷头	1"	6.5*3.0	0.2-0.3	2-3.6	15-19
6213201A	Medium/short-range swing arm nozzles 水平摇臂喷枪	1"	5-6-7-9	0.15-0.4	2-6.5	12-19
6214001A	Medium/short-range swing arm nozzles 水平摇臂喷枪	1-1/4"	8-9-10-12-14	0.15-0.5	3.7-18.6	16-29
6215002B	Medium/short-range swing arm nozzles 水平摇臂喷枪	1.5"	8-10-12-14-16	0.15-0.5	5-25	26-29
6215001	Copper/aluminum core spray gun 内螺纹铜芯/铝芯喷枪	1.5"	10*6	0.2-0.45	7-9	20-25
6216301	Copper/aluminum core spray gun 内螺纹铜芯/铝芯喷枪	2"	14*6	0.3-0.5	15-20	22-27
6217501	Copper/aluminum core spray gun 内螺纹铜芯/铝芯喷枪	2.5"	20*6	0.3-0.5	30-35	30-40
621W60ADJ	Dual-nozzle turbo spray gun 双喷管涡轮喷枪	2"	5.0*3.0	0.2-0.7	19-99.6	22-51
621W60ADJ-PRO	Dual-nozzle turbo spray gun 双喷管涡轮喷枪	2"	6.5*3.0	0.2-0.7	27.5-109.6	23-51
6216304C	Turbine spray gun 涡轮喷枪	1.5"	12-14-16-18-20-22	0.2-0.5	10-37	22-41
6216305A	Adjustable atomization effect spray gun(UP) 可调涡轮喷枪(升级版)	2"	10-12-14-16-18-20-22-24	0.2-0.7	18-75	26-53
6216302A	Adjustable turbine spray gun 可调节涡轮喷枪	1.5"	10-12-14-16-18-20-22-24	0.2-0.7	9-53	19-53
6216302B	Adjustable turbine spray gun 可调节涡轮喷枪	1.5"	10-12-14-16-18-20-22-24	0.2-0.7	9-53	19-53
6216303A	Adjustable turbine spray gun 可调节涡轮喷枪	2"	10-12-14-16-18-20-22-24	0.2-0.7	6.5-50	19-48
6216303B	Adjustable turbine spray gun 可调节涡轮喷枪	2"	10-12-14-16-18-20-22-24	0.2-0.7	6.5-50	19-48
6225001A	Medium/short-range spray gun 中/短射程喷枪	1.5"	10-12-14-16-18	0.2-0.6	5-25	18-36

Triangular bracket / 三角支架

No. 编码	Pole height(m) 立杆高度	Interface Size 接口尺寸
For all spray guns 适用于所有喷枪		
6213291A	1.2	1.5"/2"/2.5"
6217592A	1.5	1.5"/2"/2.5"
For internal thread spray gun 适用于内螺纹喷枪		
6213290A/B	1.2/1.5	1"
6212590A/B/C	1/1.2/1.5/2/3	3/4"
For all spray guns 适用于所有喷枪		
6217593A/B/C	1.2/1.5/2	-

MICRO-SPRAYING FITTINGS

微喷管件

Micro spray valve series / 微喷带阀门系列

Hard pipe bypass valve
硬管旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
5102803B	28	800

Lock offtake valve
锁母旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
5102201	22	1500
5102801	28	600

Lock ring offtake valve
拉环旁通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
5102802	28	800
5103202	32	600
5104002	40	350

Three-way valve
三通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50305008A	50*32	250
50305008B	50*40	200

Four-way valve
四通阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50405014A	50*28	180
50405014B	50*40	120
50406314A	63*28	120
50406314B	63*40	100
50407514A	75*28	100
50407514B	75*40	80

Agricultural bypass ball valve
农用旁通球阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
5102006	20	250	125*30*22
5102506	25	200	125*30*22
5103206	32	150	125*30*22

Agricultural bypass ball valve
农用旁通球阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
5102005	20	250	125*30*22
5102505	25	200	125*30*22

Agricultural bypass ball valve
农用旁通球阀



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
5102004	20	250	125*30*22
5102504	25	200	125*30*22

MICRO-SPRAYING FITTINGS

微喷管件

Micro sprinkler irrigation accessories series / 微喷带配件系列

Elbow
弯头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
5102803B	50	300

Four-way connector
四通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50405017A	50*40	240

End cap
堵头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50502501	25	750
50503201	32	500
50504001	40	370
50504501	45	260
50505001	50	200

Three-way connector
三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50305017A	50*40	300
50305018	50	250
50305019	50	200

Lock ring coupling
拉环直接



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50102805	28	2000
50103205	32	1400
50104005	40	1000
50105005	50	500
50102501	25	400
50103201	32	300
50104001	40	200
50104501	45	140
50105001	50	100

Male thread connector
外丝连接器



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50602501	25*1"	450
50603202	32*1"	400
50603201	32*1-1/4"	280
50603202	32*1-1/2"	280
50604002	40*1-1/4"	200
50604501	40*1-1/2"	200
50604502	45*1-1/4"	200
50604503	45*1-1/2"	180
50604504	45*2"	150
50605001	50*1-1/4"	160
50605002	50*1-1/2"	160
50605003	50*2"	120

ON LINE DRIPPER 管上式滴头

Dripper / 滴头

Double-hook pressure-compensated dripper

双倒钩压力补偿滴头

Pressure compensation range:0.5-4bar
压力补偿范围: 0.5-4bar



No. 编码	Flow rate(L/h) 流量	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
1902031	2	10000	54*36*22
1904031	4	10000	54*36*22
1908031	8	10000	54*36*22

Flat-bottom drip-proof dripper

平口防滴漏滴头

Pressure compensation range:0.5-4bar
压力补偿范围:0.5-4bar



No. 编码	Flow rate(L/h) 流量	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
1900218	2/4/8/16/20/25	10000	54*35*28

Adjustable dripper

可调节滴头



No. 编码	Flow rate(L/h) 流量	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
1906001	0-260	10000	45*40*30

Flag-type dripper

旗型滴头



No. 编码	Flow rate(L/h) 流量	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
1900403	2/4/8/16	10000	46*35*40

Pressure-compensated dripper

压力补偿滴头

Pressure compensation range:0.5-4bar
压力补偿范围: 0.5-4bar



No. 编码	Flow rate(L/h) 流量	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
1900202	2	5000	46*35*40
1900402	4	5000	46*35*40
1900802	8	5000	46*35*40

Little red riding hood dripper

小红帽滴头



No. 编码	Flow rate(L/h) 流量	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
1908006B	0-80	10000	46*35*36

Bubbler dripper

泉涌滴头



No. 编码	Flow rate(L/h) 流量	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
1909007A	0-90	10000	46*35*40

Button dripper

纽扣滴头



No. 编码	Flow rate(L/h) 流量	Packing(pcs/ctn) 包装数量	Carton size (cm) 单件包装尺寸
1900414	2/4	50000	45*40*32


ON LINE DRIPPER 管上式滴头

Micro-spray accessories / 微喷配件

No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1902020	3/5	50000	55*36*43
1904020	3/5	30000	55*40*46
1904021	3/5 4/7	50000	50*38*48



滴箭&滴箭套装 / Arrow dripper & Arrow dripper kits



No. 编码	Height(cm) 高度	Working pressure(bar) 工作压力	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1903021C	13	0.3-2.5	5000	60*45*52
1914523	14.5	0.3-2.5	10000	60*45*53
1903521B	15	0.3-2.5	4000	60*45*54
1903021D	15.1	0.3-2.5	5000	60*45*55
1903021A	15.5	0.3-2.5	5000	47*47*35

Arrow dripper-one way kits 一出滴箭套装



Arrow dripper-two way kits 二出滴箭套装



Arrow dripper-four way kits 四出滴箭套装



No. 编码	Product description 产品名称	Length(cm) 长度	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1905025A	Arrow dripper-one way kits 一出滴箭套装	50*1	2200	54*35*29
1905025C	Arrow dripper-two way kits 二出滴箭套装	50*2	1200	54*35*29
1905025E	Arrow dripper-four way kits 四出滴箭套装	50*4	500	54*35*29

03 主管带&配件 MAIN LINE WITH FITTINGS

The main hose is used to connect the water source with drip tapes or spray irrigation tapes, serving as the main water delivery pipeline of the irrigation system. It is suitable for a variety of agricultural scenarios such as field crops, orchards, vegetable greenhouses and greenhouses, featuring stable water delivery, easy laying and strong compatibility.

主管带用于连接水源与滴灌带或喷灌带，作为灌溉系统的主输水管道。适用于大田作物、果园、蔬菜大棚、温室等多种农业场景，输水稳定，铺设便捷，适配性强。

PE LAYFLAT HOSE/ PRE-PUNCHED FLAT HOSE PE水带/打孔水带

Product features / 产品特点

- 1.Made of flexible material with stable pressure resistance and long service life.
- 2.PE layflat hose is suitable for surface laying in farm fields, featuring simple layout, easy installation and time-saving operation.
- 3.Connected with special fittings and clamp-type fasteners, it has excellent sealing performance with firm installation and anti-falloff property.
- 4.Pre-punched holes with customizable spacing, compatible with snap-on tees, lock-nut pull-ring tees, for direct connection with drip tapes.

- 1.材质柔韧性好，耐压稳定，使用寿命长。
- 2.PE 水带适用于田间地表铺设，布设简单、安装便捷，省时省力。
- 3.搭配专用接头与卡箍式固定连接，密封性强、安装牢固不易脱落。
- 4.预制打孔可定制孔距，适配按扣三通、锁母拉环三通，直连滴灌带。



PE layflat hose specifications / PE水带产品规格

Dia. (mm) 管径	Width (mm) 折径	Thickness (mm) 壁厚	Working pressure (bar) 工作压力	Roll length (m) 卷长	Unit G.W. (kg) 卷重	MOQ. (roll) 最小起订量(卷)	Roll size (cm) 包装尺寸
50	80	0.50	1-2	100	7.2	300	40*40*24
50	80	0.70	1-2	100	11.6	200	50*50*10
63	100	0.50	1-2	100	9.1	200	40*40*30
63	100	0.80	1-2	100	14.6	200	55*55*12
75	120	1.00	2-3	100	21.7	100	65*65*16
75	120	1.20	2-3	100	26	100	75*75*16
90	140	1.00	2-3	100	27.7	100	75*75*14
90	140	1.20	2-3	100	26	100	65*65*18
110	180	1.40	2-3	100	38.1	100	75*75*20

若数据发生变动，均以实际情况为准。All data shall be subject to actual conditions in case of any changes.

Pre-punched flat hose specification / 打孔水带产品规格

Dia. (mm) 管径	Thickness (mm) 壁厚	Customizable spacing(m) 可定制间距	Customizable bore diameter (mm) 可定制孔径	Working pressure (bar) 工作压力	Customizable roll length (m) 可定制包装
63	0.60-1.20	0.4~4	3/4/8/10/12/16	1-2	50-200
75				1-2	
90				1-2	

若数据发生变动，均以实际情况为准。All data shall be subject to actual conditions in case of any changes.

PE PIPES
PE管

Product features / 产品特点



Use high quality polyethylene resins, add anti-UV agent and anti-aging, environmental non-toxic and smell,dilute acids and alkalis, corrosion resistance, flowing non-resistance. widely used for agriculture land and greenhouse.

PE管采用优质聚乙烯为原料,添加抗UV剂和抗老剂,产品无毒无味,耐酸碱、耐腐蚀、流量阻力小,可被应用于农业大田、温室灌溉。

Product specifications / 产品规格

Dia.(mm) 直径	Thickness(mm) 壁厚	Roll length(m) 卷长	MOQ.(m) 最小起订量(米)	Roll size(cm) 包装尺寸	Unit G.W.(kg) 卷重
16	1.0	500	50,000	80*80*37	23
16	1.2	500	50,000	80*80*37	28
16	1.5	500	50,000	80*80*37	35
18	1.2	300	50,000	80*80*35	18.9
18	1.4	300	50,000	80*80*35	22.1
20	1.2	200	50,000	80*80*30	14
20	1.4	200	50,000	80*80*30	17
20	1.5	200	50,000	80*80*30	18
25	1.8	200	50,000	80*80*30	26.5

若数据发生变动,均以实际情况为准。All data shall be subject to actual conditions in case of any changes.

OUTER WHITE INNER BLACK LDPE COMPOSITE PIPE
外白内黑LDPE复合管

Product features / 产品特点

It is made mainly of low-density polyethylene (LDPE) resin, formed by co-extrusion molding of an outer white layer and an inner black layer, with the two layers closely combined.

外白内黑双层结构精准调控水温,防止高温损害根系;内壁光滑均匀输配水肥;双层抗UV耐老化,支持灵活定制。



- 1.Double-layer Temperature Control: The white-outer and black-inner structure precisely regulates water temperature to avoid root damage caused by high temperature.
- 2.Uniform Water & Fertilizer Delivery: Smooth inner wall with low resistance ensures synchronous and even supply of water and fertilizer to each crop.
- 3.UV-resistant & Anti-aging: Double-layer anti-UV formula delivers long service life and low maintenance costs.
- 4.Flexible Customization: Pipe diameter, wall thickness and length can be customized to fit various greenhouses.

- 1.双层控温:外白内黑结构精准调节水温,防止高温损害根系。
- 2.均匀输配:内壁光滑阻力低,水肥同步均匀送达每株作物。
- 3.抗UV耐老化:双层抗紫外线配方,使用寿命长,维护成本低。
- 4.灵活定制:管径、壁厚、长度可按需生产,适配各类温室。

Product specifications / 产品规格

Dia.(mm) 管径	Thickness(mm) 壁厚	Roll length(m) 卷长	MOQ.(m) 最小起订量(米)	Roll size(cm) 包装尺寸	Unit G.W.(kg) 卷重
5	1.0	1200	50,000	50*50*22	13.25
7	1.5	1000	50,000	45*45*30	22
16	1.2	500	50,000	84*84*34	28
20	1.4	200	50,000	70*70*30	18.4
25	1.8	200	50,000	70*70*30	26.5


若数据发生变动,均以实际情况为准。All data shall be subject to actual conditions in case of any changes.

PE BRAIDED HOSE PE编织水带

Product features / 产品特点

- 1.It is light in weight, flexible, convenient to carry, lay and roll up.
- 2.The surface is more wear-resistant, extending its service life.
- 3.It is not prone to deformation and is not likely to twis, expand or contract within the normal operating pressure range, ensuring smooth water flow.
- 4.It has strong pressure resistance, capable of withstanding a pressure of 16 to 25bar, which can meet the demands of high-pressure water transmission and long-distance irrigation, and is not prone to cracking or leakage.

- 1.重量轻,柔韧性好,方便携带、铺设和收卷。
- 2.编织结构使其表面较为耐磨,延长了使用寿命。
- 3.不易变形,在正常使用压力范围内不易扭曲、膨胀或收缩,确保水流畅通。
- 4.耐压性强,能够承受16-25bar的爆破压力,可满足高压输水、长距离灌溉等需求,不易破裂或渗漏。



Product specifications / 产品规格

Size 尺寸	Width(cm) 折径	Dia.(mm) 直径	Working pressure(bar) 工作压力	Breaking pressure(bar) 爆破压力	Roll length(m) 卷长
1"	4	25	10	30	50-100
1.5"	6	40	9	27	50-100
2"	8	50	8	24	50-100
2.5"	10	65	7.5	22.5	50-100
3"	12	80	7.5	22.5	50-100
3.5"	14	95	6.5	19.5	50-100
4"	16	100	6	18	50-100
4.5"	18	115	6	18	50-100
5"	20	125	5	15	50-100
5.5"	22	138	5	15	50-100
6"	24	150	4	12	50-100
6.5"	26	162	4	12	50-100
7"	28	175	3	9	50-100
8"	32	200	2.5	8	50-100
10"	40	250	2	6	50-100
12"	48	300	1	3	50-100

若数据发生变动,均以实际情况为准。All data shall be subject to actual conditions in case of any changes.

PVC COATED HOSE PVC涂塑软带

Product features / 产品特点



Made of high-quality polyester yarn with double-sided plastic-coating technology, it features exquisite craftsmanship, wear resistance and durability, neat joints, no damage and superior quality.

选用优质涤纶线,采用双面涂塑工艺,工艺精湛,耐磨耐用,接口整齐,无破损,表面光滑亮泽。

Product specifications / 产品规格

Size 尺寸	Thickness(mm) 壁厚	Dia.(mm) 直径	Working pressure(bar) 工作压力	Breaking pressure(bar) 爆破压力	Roll length(m) 卷长
1"	1.1-1.3	25	4-6	12-18	50-100
1.5"	1.1-1.3	38	4-6	12-18	50-100
2"	1.0-1.8	50	3-10	12-18	50-100
2.5"	1.0-1.8	63	3-10	12-18	50-100
3"	1.0-1.8	75	3-10	12-18	50-100
3.5"	1.0-1.8	90	3-10	12-18	50-100
4"	1.0-1.8	100	3-8	12-18	50-100
4.5"	1.0-1.5	110	3-6	12-18	50-100
5"	1.1-1.5	130	3-5	12-15	50-100
6"	1.1-1.5	150	3-4	4-6	50-100
8"	2-3.2	200	3-4	4-6	50-100

若数据发生变动,均以实际情况为准。All data shall be subject to actual conditions in case of any changes.

PE PIPE FITTINGS

PE管配件

PE pipe fittings (PP) / PE管配件(PP)

Reducing coupling
异径直接



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3022004A	20*16	1200	54*35*28

Barb offtake
承插旁通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3021602B	16*13	3200	54*35*28
3022002A	20*16	1500	54*35*28

Barb tee
承插三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3051600A	16	3000	54*46*48
3052000A	20	1600	54*46*48
3052500A	25	1200	54*46*48

Barb end
承插堵头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3111600A	16	3800	54*35*28
3112000A	20	1800	54*35*28
3112500A	25	1100	54*35*28

Barb coupling
承插直通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3021601A	16	2500	54*35*28
3022001A	20	6000	54*46*50
3022501A	25	700	54*35*28
3023201A	32	500	54*35*28

Barb elbow
承插弯头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3081200A	12	5000	54*35*28
3081600A	16	2000	54*35*28
3082000A	20	1100	54*35*28
3082500A	25	700	54*35*28

External thread coupling
外丝直通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3021600A/B	16*1/2" 16*3/4"	1800	54*35*28
3022000A/B	20*1/2" 20*3/4"	1200	54*35*28
3022500A/B	25*3/4" 25*1/2"	1000	54*35*28

External threaded three-way tee
外丝三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3051601B	16*1/2""16	2500	54*46*48
3051601C	16*3/4""16	2000	54*46*48
3052001A	20*1/2""20	1400	54*46*48
3052001B	20*3/4""20	1100	54*46*48
3052501A	25*3/4""25	700	54*46*48

PE PIPE FITTINGS

PE管配件

PE pipe fittings (PP) / PE管配件(PP)

Internal thread coupling
内丝直接



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3021603A/B	16*1/2" 16*3/4"	1000	54*36*29
3022003C/D	20*1/2" 20*3/4"	800	54*36*29

External threaded elbow
外丝弯头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3082001A/B	16*1/2" 20*1/2"	1500	54*36*29
3082501A/B	16*3/4" 20*3/4"	1400	54*36*29

Plastic clip
塑料卡



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3161200A	12	3200	42*38*21
3161600A	16	3200	42*38*21
3162000A	20	2000	42*38*21
3162500A	25	3200	54*35*28

Folding plug
折叠堵头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
3111201A	12	5800	54*35*28
3111601A	16	4000	54*35*28
3112001A	20	1800	54*35*28
3112501A	25	1200	54*35*28

PE pipe fittings (POM) / PE管配件(POM)

Product name 产品名称	No. 编码	Dia.(mm) 规格	Packing(pcs) 包装数量	Carton size(cm) 包装尺寸	Product name 产品名称	No. 编码	Dia.(mm) 规格	Packing(pcs) 包装数量	Carton size(cm) 包装尺寸
 Barb coupling 承插直通	3021701A	17	3000	54*35*28	 Barb coupling 承插直通	3021703A	17*1/2"	2000	54*35*28
						3021703B	17*3/4"	1200	54*35*28
 Barb tee 承插三通	3051700A	17*1/2"	1350	54*35*28	 Barb tee 承插三通	3051701A	17*1/2"	1300	54*35*28
						3051701B	17*3/4"	1000	54*35*28
 Barb elbow 承插弯头	3081700A	17	2200	54*35*28	 Y shape tee Y型三通	3051702A	17*3/4"	700	54*35*28
 Barb elbow 承插弯头	3081701A	17*1/2"	2000	54*35*28	 Rubber ring 工型胶圈(橡胶)	3171200A	12	8500	54*35*28
	3081701B	17*3/4"	1500	54*35*28		3171600A	16	6000	54*35*28
						3172000A	20	6000	54*35*28
						3172500A	25	2000	54*35*28

MAIN LINE FITTINGS

主管带配件

Hose fittings / 水带配件

Barb elbow

承插弯头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50205003	50	700
50206303	63	450
50207503	75	240
50209003	90	150
50210003	100	100
50211003	110	90

Barb tee

承插三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50303205	32	1300
50305005	50	350
50306305	63	200
50307505	75	120
50309005	90	90
50310005	100	55
50311005	110	55

Barb coupling

承插直通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50103201A	32	1800
50105001A	50	700
50106301A	63	400
50107501A	75	280
50109001A	90	200
50110001A	100	150
50111001A	110	130

Barb end

承插堵头



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50503202	32	1200
50504002	40	1000
50505002	50	800
50506302	63	500
50507502	75	320
50509002	90	200
50510002	100	120
50511002	110	120

External threaded four-way tee

阳纹四通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50406306	63	200
50407506	75	140
50409006	90	100
50410006	100	80
50411006	110	50

External threaded three-way tee

阳纹三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50303212	32	1300
50305012	50	350
50306312	63	200
50307512	75	120
50309012	90	90
50310012	100	55
50311012	110	55

External threaded coupling

阳纹直通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50103206	32	1800
50105006	50	700
50106306	63	400
50107506	75	280
50109006	90	200
50110006	100	150
50111006	110	130

Reducing external threaded three-way tee

变径阳纹三通



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
50305005A	50*32	500
50306305A	63*50	200
50306305B	63*32	200
50307505A	75*63	120
50307505B	75*32	120
50309005A	90*75	55
50309005B	90*63	55
50311005A	110*90	55
50311005B	110*75	55
50311005C	110*63	55

MAIN LINE FITTINGS

主管带配件

Irrigation valve (PP) / 灌溉阀门(PP)

High-flow sand control three-way valve

大流量防砂三通阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1505065	50	90	56*45*55
1506365	63	60	66*46*53
1507565	75	48	71*44*59
1509065	90	18	57*38*49
1510065	100	18	65*45*55

Female thread agricultural valve

内丝农用阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1506366	63	50	65*36*29
1507566	75	40	60*47*34
1509066	90	24	74*33*39

Straight-through valve

直通阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1505064	50	80	63*52*44
1506364	63	48	63*50*52
1507564B	75	30	82*37*44
1509064	90	18	63*48*49
1510064	100	12	70*50*36
1511064	110	12	71*50*37

Female thread agricultural valve

内丝农用阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1506367	63	50	65*36*29
1507567	75	40	60*47*34
1509067	90	24	74*33*39

Hole puncher / 打孔器

Punchers for PE pipe PE管打孔器	No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Punchers for layflat hose 主水带打孔器	No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量
	3021701A	3&4	3000		3021701A	17	3000
	1400401A	4	500		1401601A	16	100
	1400401B	8	500		1402001A	20	100
	1401402T	14	200		1402501A	25	100
	1401602T	16	200		1403201A	32	70
	1402002T	20	200		1404001A	40	60
	1400301A	3	150				

PP COMPRESSION FITTINGS
PP快速接头

04 PP快速接头&PVC阀门 PP COMPRESSION FITTINGS&PVC VALVES

PP compression fittings realize pipeline connection and diversion, PVC valves control water flow on-off. both of them work by matching, features corrosion resistance and excellent sealing performance, widely applied in agricultural irrigation, greenhouses, orchards, vegetable sheds and other scenarios.

PP管件实现管道连接与分流,PVC阀门实现水流开关控制,两者配合使用,耐腐蚀、密封性好,广泛应用于农业灌溉、温室、果园、蔬菜大棚等场景。



Female compression ball valve / 内螺快插阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/carton) 包装数量	Carton size(cm) 单件包装尺寸
1504018	20*1/2"	200	50*35*30
1505018	25*3/4"	120	50*35*30
1506318	32*1"	80	50*35*30
1507518	40*1 1/4"	60	50*35*30
1509018	50*1 1/2"	36	50*35*30
1511018	63*2"	19	50*35*30

Compact PP valve / PP双头阀

No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/carton) 包装数量	Carton size(cm) 单件包装尺寸
1502015	20	144	50*35*30
1502515	25	85	50*35*30
1503215	32	56	50*35*30
1504015	40	34	50*35*30
1505015	50	22	50*35*30
1506315	63	12	50*35*30
1507515	75	8	50*35*30
1509015	90	6	50*35*35
1511015	110	4	50*35*35



Male compact PP valve / PP外螺阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/carton) 包装数量	Carton size(cm) 单件包装尺寸
1502016	20	180	50*35*30
1502516	25	120	50*35*30
1503216	32	80	50*35*30

Female compact PP valve / PP内螺阀

No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/carton) 包装数量	Carton size(cm) 单件包装尺寸
1502017	20	180	50*35*30
1502517	25	120	50*35*30
1503217	32	80	50*35*30



PP COMPRESSION FITTINGS

PP快速接头

Tee

等径三通



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502021	Φ20	150	50*35*35
1502521	Φ25	84	50*35*35
1503221	Φ32	56	50*35*35
1504021	Φ40	26	50*35*30
1505021	Φ50	20	50*35*35
1506321	Φ63	9	50*35*35
1507521	Φ75	7	50*35*30
1509021	Φ90	4	50*35*35
1511021	Φ110	5	53*51*44

End cap

堵头



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502024	Φ20	360	50*35*35
1502524	Φ25	240	50*35*35
1503224	Φ32	150	50*35*35
1504024	Φ40	90	50*35*30
1505024	Φ50	60	50*35*35
1506324	Φ63	24	50*35*30
1507524	Φ70	22	50*35*30
1509024	Φ90	14	50*35*30
1511024	Φ110	10	50*35*35

PP tool

PP工具



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1506334	Φ20-63	45	40*30*29
1511034	Φ63-110	36	50*30*29

Reducing tee

异径三通



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502523	Φ25*20*25	95	50*35*35
1503223A	Φ32*20*32	56	50*35*35
1503223B	Φ32*25*32	56	50*35*35
1504023A	Φ40*25*40	30	50*35*30
1504023B	Φ40*32*40	30	50*35*30
1505023A	Φ50*25*50	20	50*35*35
1505023B	Φ50*32*50	20	50*35*35
1505023C	Φ50*40*50	20	50*35*35
1506323A	Φ63*32*63	9	50*35*35
1506323B	Φ63*40*63	9	50*35*35
1506323C	Φ63*50*63	9	50*35*35
1507523A	Φ70*50*75	7	50*35*30
1507523B	Φ75*63*75	7	50*35*30
1509023A	Φ90*63*90	4	50*35*30
1509023B	Φ90*75*90	4	50*35*30
1511023	Φ110*90*110	5	50*51*44



PP COMPRESSION FITTINGS

PP快速接头

Female tee/Reinforcing ring

内丝三通/带钢圈



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
15020 32A/33A	Φ20*1/2"	173	50*35*35
15020 32B/33B	Φ25*3/4"	173	50*35*35
15025 32A/33A	Φ25*1/2"	108	50*35*35
15025 32B/33B	Φ25*3/4"	108	50*35*35
15025 32C/33C	Φ25*1"	108	50*35*35
15032 32A/33A	Φ32*1/2"	78	50*35*35
15032 32B/33B	Φ32*3/4"	78	50*35*35
15032 32C/33C	Φ32*1"	68	50*35*35
15040 32A/33A	Φ40*1"	36	50*35*35
15040 32B/33B	Φ40*1-1/4"	36	50*35*35
15040 32C/33C	Φ40*1-1/2"	36	50*35*35
15050 32A/33A	Φ50*1-1/4"	20	50*35*30
15050 32B/33B	Φ50*1-1/2"	20	50*35*30
15050 32C/33C	Φ50*2"	20	50*35*35
15063 32A/33A	Φ63*1-1/4"	12	50*35*35
15063 32B/33B	Φ63*1-1/2"	12	50*35*35
15063 32C/33C	Φ63*2"	12	50*35*35
15063 32D	Φ63*2-1/2"	12	50*35*35
15075 32/33	Φ75*2-1/2"	9	50*35*35
15090 32/33	Φ90*3"	5	50*35*35
15110 32/33	Φ110*4"	4	49*35*48

Male tee

外丝三通



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502031A	Φ20*1/2"	195	50*35*35
1502031B	Φ25*3/4"	195	50*35*35
1502531A	Φ25*1/2"	130	50*35*35
1502531B	Φ25*3/4"	120	50*35*35
1502531C	Φ25*1"	130	50*35*35
1503231A	Φ32*1/2"	80	50*35*35
1503231B	Φ32*3/4"	80	50*35*35
1503231C	Φ32*1"	80	50*35*35
1503231D	Φ32*1-1/4"	56	50*35*35
1504031A	Φ40*1"	42	50*35*35
1504031B	Φ40*1-1/4"	42	50*35*35
1504031C	Φ40*1-1/2"	42	50*35*35
1505031A	Φ50*1-1/4"	25	50*35*35
1505031B	Φ50*1-1/2"	25	50*35*35
1505031C	Φ50*2"	25	50*35*35
1506331A	Φ63*1-1/4"	12	50*35*30
1506331B	Φ63*1-1/2"	12	50*35*30
1506331C	Φ63*2"	12	50*35*30
1506331D	Φ63*2-1/2"	12	50*35*30
1507531	Φ75*2-1/2"	10	50*35*35
1509031	Φ90*3"	4	50*35*35
1511031	Φ110*4"	5	50*35*35

PP COMPRESSION FITTINGS

PP快速接头

Coupling
直接



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502019	Φ20	246	50*35*35
1502519	Φ25	156	50*35*35
1503219	Φ32	105	50*35*35
1504019	Φ40	56	50*35*35
1505019	Φ50	29	50*35*30
1506319	Φ63	18	50*35*35
1507519	Φ75	12	50*35*30
1509019	Φ90	7	50*35*30
1511019	Φ110	6	50*35*36

Female coupling/reinforce ring
内丝直接/带钢圈



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
150202 6/7	Φ20*1/2"	400	50*35*35
150252 6/7	Φ25*3/4"	220	50*35*35
150322 6/7	Φ32*1"	156	50*35*35
150402 6/7	Φ40*1-1/4"	90	50*35*35
150502 6/7	Φ50*1-1/2"	56	50*35*35
150632 6/7	Φ63*2"	30	50*35*35
150752 6/7	Φ75*2-1/2"	22	50*35*35
150902 6/7	Φ90*3"	13	50*35*35
151102 6/7	Φ110*4"	8	50*35*35

Reducing coupling
异径直接



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502522	Φ25*20	160	50*35*35
1503222A	Φ32*20	118	50*35*35
1503222B	Φ32*25	118	50*35*35
1504022A	Φ40*25	68	50*35*35
1504022B	Φ40*32	68	50*35*35
1505022A	Φ50*25	48	50*35*35
1505022B	Φ50*32	32	50*35*30
1502522	Φ25*20	160	50*35*35
1503222A	Φ32*20	118	50*35*35
1503222B	Φ32*25	118	50*35*35
1504022A	Φ40*25	68	50*35*35
1504022B	Φ40*32	68	50*35*35
1505022A	Φ50*25	48	50*35*35
1505022B	Φ50*32	32	50*35*30
1505022C	Φ50*40	29	50*35*30
1506322A	Φ63*32	27	50*35*35
1506322B	Φ63*40	20	50*35*35
1506322C	Φ63*50	20	50*35*35
1507522A	Φ75*50	12	50*35*30
1507522B	Φ75*63	12	50*35*30
1509022A	Φ90*63	8	50*35*30
1509022B	Φ90*75	8	50*35*30
1511022A	Φ110*75	6	50*35*35
1511022B	Φ110*90	6	50*35*35

Male coupling
外丝直接



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502525A	Φ25*3/4"	242	50*35*35
1502525B	Φ25*1/2"	242	50*35*35
1502525C	Φ25*1"	242	50*35*35
1503225A	Φ32*3/4"	180	50*35*35
1503225B	Φ32*1"	168	50*35*35
1503225C	Φ32*1-1/4"	156	50*35*35
1504025A	Φ40*1"	100	50*35*35
1504025B	Φ40*1-1/4"	88	50*35*35
1504025C	Φ40*1-1/2"	84	50*35*35
1505025A	Φ50*1"	56	50*35*35
1505025B	Φ50*1-1/4"	56	50*35*35
1505025C	Φ50*1-1/2"	56	50*35*35
1505025D	Φ50*2"	56	50*35*35
1506325A	Φ63*1-1/4"	36	50*35*35
1506325B	Φ63*1-1/2"	36	50*35*35
1506325C	Φ63*2"	36	50*35*35
1506325D	Φ63*2-1/2"	36	50*35*35
1507525	Φ75*2-1/2"	22	50*35*35
1509025	Φ90*3"	14	50*35*35
1511025	Φ110*4"	8	50*35*35

PP COMPRESSION FITTINGS

PP快速接头

Elbow
弯头



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502020	Φ20	224	50*35*35
1502520	Φ25	120	50*35*35
1503220	Φ32	84	50*35*35
1504020	Φ40	46	50*35*35
1505020	Φ50	28	50*35*35
1506320	Φ63	15	50*35*35
1507520	Φ75	12	50*35*35
1509020	Φ90	6	50*35*35
1511020	Φ110	4	50*35*35

Male elbow/reinforce ring
内丝弯头/带钢圈



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
15020 29A/30A	Φ20*1/2"	320	50*35*35
15020 29B/30B	Φ20*3/4"	280	50*35*35
15025 29A/30A	Φ25*1/2"	192	50*35*35
15025 29B/30B	Φ25*3/4"	180	50*35*35
15025 29C/30C	Φ25*1"	180	50*35*35
15032 29A/30A	Φ32*1/2"	156	50*35*35
15032 29B/30B	Φ32*3/4"	144	50*35*35
15032 29C/30C	Φ32*1"	132	50*35*35
15032 29D/30D	Φ32*1-1/4"	120	50*35*35
15040 29A/30A	Φ40*1"	70	50*35*35
15040 29B/30B	Φ40*1-1/4"	70	50*35*35
15040 29C/30C	Φ40*1-1/2"	70	50*35*35
15050 29A/30A	Φ50*1-1/4"	30	50*35*30
15050 29B/30B	Φ50*1-1/2"	30	50*35*30
15050 29C/30C	Φ50*2"	30	50*35*30
15063 29A/30A	Φ63*1-1/4"	18	50*35*30
15063 29B/30B	Φ63*1-1/2"	18	50*35*30
15063 29C/30C	Φ63*2"	18	50*35*30
15063 29D/30D	Φ63*2-1/2"	16	50*35*30
15075 29/30	Φ75*2-1/2"	12	50*35*35
15090 29/30	Φ90*3"	8	50*35*35
15110 29/30	Φ110*4"	5	50*35*30

Flange joint
法兰接头



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1504039	40*11/2"	24	48*38*38
1505039	50*1-1/2"	22	48*38*38
1505039A	50*2"	22	48*38*38
1506339A	63*2"	15	48*38*38
1506339B	63*2-1/2"	15	48*38*38
1507539A	75*2-1/2"	10	48*38*38
1507539B	75*3"	10	48*38*38
1509039A	90*3"	10	48*38*38
1509039B	90*4"	8	48*38*38

Female elbow
外丝弯头



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502028A	Φ20*1/2"	320	50*35*35
1502028B	Φ20*3/4"	280	50*35*35
1502528A	Φ25*1/2"	192	50*35*35
1502528B	Φ25*3/4"	180	50*35*35
1502528C	Φ25*1"	180	50*35*35
1503228A	Φ32*1/2"	156	50*35*35
1503228B	Φ32*3/4"	144	50*35*35
1503228C	Φ32*1"	144	50*35*35
1504028A	Φ40*1"	70	50*35*35
1504028B	Φ40*1-1/4"	70	50*35*35
1504028C	Φ40*1-1/2"	70	50*35*35
1505028A	Φ50*1-1/4"	30	50*35*30
1505028B	Φ50*1-1/2"	30	50*35*30
1505028C	Φ50*2"	30	50*35*30
1506328A	Φ63*1-1/4"	18	50*35*30
1506328B	Φ63*1-1/2"	18	50*35*30
1506328C	Φ63*2"	18	50*35*30
1506328D	Φ63*2-1/2"	16	50*35*30
1507528	Φ75*2-1/2"	12	50*35*30
1509028	Φ90*3"	8	50*35*35
1511028	Φ110*4"	5	50*35*30

PP COMPRESSION FITTINGS
PP快速接头

Saddle clamp
鞍卡



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1503235A	Φ32*1/2"	220	50*35*30
1503235B	Φ32*3/4"	220	50*35*30
1503235C	Φ32*1"	220	503*5*30
1504035A	Φ40*1/2"	180	50*35*30
1504035B	Φ40*3/4"	180	503*5*30
1504035C	Φ40*1"	180	5035**30
1505035A	Φ50*1/2"	120	50*35*30
1505035B	Φ50*3/4"	120	50*35*30
1505035C	Φ50*1"	120	50*35*30
1506335A	Φ63*1/2"	90	50*35*30
1506335B	Φ63*3/4"	90	50*35*30
1506335C	Φ63*1"	90	50*35*30
1507535A	Φ75*1/2"	70	50*35*35
1507535B	Φ75*3/4"	70	50*35*35
1507535C	Φ75*1"	70	50*35*35
1507535D	Φ75*1-1/4"	55	50*35*35
1507535E	Φ75*1-1/2"	55	50*35*35
1507535F	Φ75*2"	55	50*35*35
1509035A	Φ90*1/2"	60	50*35*35
1509035B	Φ90*3/4"	60	50*35*35
1509035C	Φ90*1"	60	50*35*35
1509035D	Φ90*1-1/4"	52	50*35*35
1509035E	Φ90*1-1/2"	52	50*35*35
1509035F	Φ90*2"	48	50*35*35
1511035A	Φ110*1/2"	42	50*35*35
1511035B	Φ110*3/4"	42	50*35*35
1511035C	Φ110*1"	42	50*35*35
1511035D	Φ110*1-1/4"	42	50*35*35
1511035E	Φ110*1-1/2"	36	50*35*35
1511035F	Φ110*2"	36	50*35*35

Double saddle clamp
双口鞍卡



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1503236A	Φ32*1/2"	210	50*35*35
1503236B	Φ32*3/4"	210	50*35*35
1503236C	Φ32*1"	210	50*35*35
1504036A	Φ40*1/2"	180	50*35*35
1504036B	Φ40*3/4"	180	50*35*35
1504036C	Φ40*1"	180	50*35*35
1505036A	Φ50*1/2"	115	50*35*35
1505036B	Φ50*3/4"	115	50*35*35
1505036C	Φ50*1"	115	50*35*35
1506336A	Φ63*1/2"	80	50*35*35
1506336B	Φ63*3/4"	80	50*35*35
1506336C	Φ63*1"	80	50*35*35
1507536A	Φ75*1/2"	55	50*35*35
1507536B	Φ75*3/4"	55	50*35*35
1507536C	Φ75*1"	55	50*35*35
1507536D	Φ75*1-1/4"	40	50*35*35
1507536E	Φ75*1-1/2"	40	50*35*35
1507536F	Φ75*2"	40	50*35*35
1509036A	Φ90*1/2"	60	50*35*35
1509036B	Φ90*3/4"	60	50*35*35
1509036C	Φ90*1"	60	50*35*35
1509036D	Φ90*1-1/4"	40	50*35*35
1509036E	Φ90*1-1/2"	40	50*35*35
1509036F	Φ90*2"	40	50*35*35
1511036A	Φ110*1/2"	42	50*35*35
1511036B	Φ110*3/4"	42	50*35*35
1511036C	Φ110*1"	36	50*35*35
1511036D	Φ110*1-1/4"	36	50*35*35
1511036E	Φ110*1-1/2"	30	50*35*35
1511036F	Φ110*2"	30	50*35*35

PP COMPRESSION FITTINGS
PP快速接头

Saddle clamp
(Reinforcing ring)
鞍卡(带钢圈)



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1503237A	Φ32*1/2"	220	50*35*30
1503237B	Φ32*3/4"	220	50*35*30
1503237C	Φ32*1"	220	503*5*30
1504037A	Φ40*1/2"	180	50*35*30
1504037B	Φ40*3/4"	180	503*5*30
1504037C	Φ40*1"	180	5035**30
1505037A	Φ50*1/2"	120	50*35*30
1505037B	Φ50*3/4"	120	50*35*30
1505037C	Φ50*1"	120	50*35*30
1506337A	Φ63*1/2"	90	50*35*30
1506337B	Φ63*3/4"	90	50*35*30
1506337C	Φ63*1"	90	50*35*30
1507537A	Φ75*1/2"	70	50*35*35
1507537B	Φ75*3/4"	70	50*35*35
1507537C	Φ75*1"	70	50*35*35
1507537D	Φ75*1-1/4"	55	50*35*35
1507537E	Φ75*1-1/2"	55	50*35*35
1507537F	Φ75*2"	55	50*35*35
1509037A	Φ90*1/2"	60	50*35*30
1509037B	Φ90*3/4"	60	50*35*30
1509037C	Φ90*1"	60	50*35*30
1509037D	Φ90*1-1/4"	60	50*35*30
1509037E	Φ90*1-1/2"	60	50*35*30
1509037F	Φ90*2"	60	50*35*30
1511037A	Φ110*1/2"	50	50*35*30
1511037B	Φ110*3/4"	50	50*35*30
1511037C	Φ110*1"	50	50*35*30
1511037D	Φ110*1-1/4"	50	50*35*30
1511037E	Φ110*1-1/2"	50	50*35*30
1511037F	Φ110*2"	50	50*35*30


Double saddle clamp
(Reinforcing ring)
双口鞍卡(带钢圈)



No. 编码	Dia.(mm) 规格	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1503238A	Φ32*1/2"	210	50*35*35
1503238B	Φ32*3/4"	210	50*35*35
1503238C	Φ32*1"	210	50*35*35
1504038A	Φ40*1/2"	180	50*35*35
1504038B	Φ40*3/4"	180	50*35*35
1504038C	Φ40*1"	180	50*35*35
1505038A	Φ50*1/2"	115	50*35*35
1505038B	Φ50*3/4"	115	50*35*35
1505038C	Φ50*1"	115	50*35*35
1506338A	Φ63*1/2"	80	50*35*35
1506338B	Φ63*3/4"	80	50*35*35
1506338C	Φ63*1"	80	50*35*35
1507538A	Φ75*1/2"	55	50*35*35
1507538B	Φ75*3/4"	55	50*35*35
1507538C	Φ75*1"	55	50*35*35
1507538D	Φ75*1-1/4"	40	50*35*35
1507538E	Φ75*1-1/2"	40	50*35*35
1507538F	Φ75*2"	40	50*35*35
1509038A	Φ90*1/2"	45	50*35*35
1509038B	Φ90*3/4"	45	50*35*35
1509038C	Φ90*1"	45	50*35*35
1509038D	Φ90*1-1/4"	40	50*35*35
1509038E	Φ90*1-1/2"	40	50*35*35
1509038F	Φ90*2"	40	50*35*35
1511038A	Φ110*1/2"	35	50*35*35
1511038B	Φ110*3/4"	35	50*35*35
1511038C	Φ110*1"	35	50*35*35
1511038D	Φ110*1-1/4"	30	50*35*35
1511038E	Φ110*1-1/2"	30	50*35*35
1511038F	Φ110*2"	30	50*35*35

PVC VALVES
PVC阀门

PVC ball valve
普通球阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502002	Φ1/2"	280	50*35*30
1502502	Φ3/4"	192	50*35*30
1503202	Φ1"	108	50*35*30
1504002	Φ1-1/4"	80	50*35*30
1505002	Φ1-1/2"	56	50*35*30
1506302	Φ2"	32	50*35*30
1507502	Φ2-1/2"	22	50*35*36
1509002	Φ3"	8	50*35*30
1511002	Φ4"	6	50*35*30

Octagonal ball valve
八角普通球阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502003	Φ1/2"	280	50*35*30
1502503	Φ3/4"	192	50*35*30
1503203	Φ1"	108	50*35*30
1504003	Φ1-1/4"	80	50*35*30
1505003	Φ1-1/2"	56	50*35*30
1506303	Φ2"	32	50*35*30
1507503	Φ2-1/2"	22	50*35*36
1509003	Φ3"	8	50*35*30
1511003	Φ4"	6	50*35*30

MxF/FxF Union ball valve
内外螺黑阀/内螺黑阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
15020 12/13	Φ1/2"	120	50*35*30
15025 12/13	Φ3/4"	88	50*35*30
15032 12/13	Φ1"	64	50*35*30
15040 12/13	Φ1-1/4"	32	50*35*30
15050 12/13	Φ1-1/2"	32	50*35*30
15063 12/13	Φ2"	20	50*35*30
15075 12/13	Φ2-1/2"	8	58*35*22
15090 12/13	Φ3"	6	50*35*26
15110 12/13	Φ4"	4	42*46*30

MxF Octagonal ball valve
内外螺八角阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502005	Φ1/2"	280	50*35*30
1502505	Φ3/4"	192	50*35*30
1503205	Φ1"	108	50*35*30
1504005	Φ1-1/4"	80	50*35*30
1505005	Φ1-1/2"	56	50*35*30
1506305	Φ2"	32	50*35*30
1507505	Φ2-1/2"	22	50*35*35
1509005	Φ3"	8	50*35*30
1511005	Φ4"	6	50*35*30

PVC ball valve
大体球阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502004	Φ1/2"	204	50*35*35
1502504	Φ3/4"	126	50*35*30
1503204	Φ1"	90	50*35*35
1504004	Φ1-1/4"	54	50*35*30
1505004	Φ1-1/2"	40	50*35*30
1506304	Φ2"	20	50*35*30

Union
活结



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502014	Φ1/2"	270	49*34*29
1502514	Φ3/4"	200	49*34*29
1503214	Φ1"	120	49*34*29
1504014	Φ1-1/4"	112	49*34*29
1505014	Φ1-1/2"	60	49*34*29
1506314	Φ2"	40	49*34*29
1507514	Φ2-1/2"	18	43*30*35
1509014	Φ3"	12	50*34*27
1511014	Φ4"	8	42*42*32

PVC VALVES
PVC阀门

True union ball valve
双油令球阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502008	Φ1/2"	120	50*35*30
1502508	Φ3/4"	80	50*35*30
1503208	Φ1"	48	50*35*30
1504008	Φ1-1/4"	36	50*35*30
1505008	Φ1-1/2"	24	50*35*30
1506308	Φ2"	24	55*37*37
1507508	Φ2-1/2"	8	58*34*25
1509008	Φ3"	6	58*34*27
1511008	Φ4"	4	49*42*30

Single union ball valve
单油令球阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502009	Φ1/2"	120	50*35*30
1502509	Φ3/4"	88	50*35*30
1503209	Φ1"	64	50*35*30
1504009	Φ1-1/4"	32	50*35*30
1505009	Φ1-1/2"	28	50*35*30
1506309	Φ2"	20	50*35*30
1507509	Φ2-1/2"	8	58*35*22
1509009	Φ3"	6	50*35*26
1511009	Φ4"	4	43*46*30

Two pieces ball valve
(Plastic handle)
塑柄两片式球阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502010	Φ1/2"	240	49*34*29
1502510	Φ3/4"	120	49*34*29
1503210	Φ1"	96	49*34*29
1504010	Φ1-1/4"	60	49*34*29
1505010	Φ1-1/2"	48	49*34*29
1506310	Φ2"	24	49*34*29
1507510	Φ2-1/2"	16	50*27*38
1509010	Φ3"	12	50*35*42
1511010	Φ4"	6	56*55*28

Two pieces ball valve
(Steel handle)
钢柄两片式球阀



No. 编码	Interface size(mm) 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
1502011	Φ1/2"	240	49*34*29
1502511	Φ3/4"	120	49*34*29
1503211	Φ1"	96	49*34*29
1504011	Φ1-1/4"	60	49*34*29
1505011	Φ1-1/2"	48	49*34*29
1506311	Φ2"	24	49*34*29
1507511	Φ2-1/2"	16	50*27*38
1509011	Φ3"	12	44*29*43
1511011	Φ4"	6	53*53*19

UPVC valves / UPVC阀门



Coupling
直接



Male adapter
外螺直接



Female adapter
内螺直接



Equal tee
三通



Female tee
内螺三通



Female elbow
内螺弯头



90 Deg elbow
90度弯头



45 Deg elbow
45度弯头



Reducing ring
变径圈



End cap
管帽

OTHER PRODUCTS FOR AGRICULTURE IRRIGATION

Other supporting irrigation products include seedling trays, filters, air release valves, etc., suitable for various scenarios such as agricultural irrigation, greenhouses and orchards. Our company provides a full range of irrigation products to meet diverse agricultural irrigation demands.

其他灌溉配套产品包括育苗盘、过滤器、排气阀等, 适配农业灌溉、温室大棚、果园等多种场景。公司提供全系列灌溉产品, 满足多样化农业灌溉需求。

SEEDLING TRAYS

育苗盘

PET seedling tray
(with water permeable holes)
PET育苗盘(带透水孔)



No. 编码	Single Wt(g) 单片重量	Holes 孔数	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
7206001	60		400	55*44*29
7207001	70		400	55*44*29
7208001	80		300	55*44*29
7209001	90	21/24/	300	55*44*29
7210001	100	28/32/	300	55*44*29
7211001	110	50/72/	300	55*44*29
7212001	120	98/104/	300	55*44*29
7213001	130	105/128/	250	55*44*29
7214001	140	162/200/	250	55*44*29
7215001	150	288	200	55*44*29

PS seedling tray
(with water permeable holes)
PS育苗盘(带透水孔)



No. 编码	Single Wt(g) 单片重量	Holes 孔数	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
7207005	70		300	55*29*35
7208005	80		250	55*29*35
7209005	90		200	55*29*35
7210005	100	21/24/	200	55*29*35
7211005	110	28/32/	200	55*29*35
7212005	120	50/72/	200	55*29*35
7213005	130	98/104/	180	55*29*35
7214005	140	105/128/	180	55*29*35
7215005	150	168/200/	150	55*29*35
		288	100	55*29*35

PVC seedling tray
PVC育苗盘



No. 编码	Single Wt(g) 单片重量	Holes 孔数	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
7210011	100	15/21/	200	55*29*36
7212011	120	28/32/	200	55*29*36
7213011	130	50/72/	180	55*29*36
7215011	150	98/105/	150	55*29*36
7218011	180	128/200	100	55*29*36

PP seedling tray
PP育苗盘



No. 编码	Single Wt(g) 单片重量	Holes 孔数	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
7212003	120		200	55*44*29
7213003	130	24/32/	200	55*44*29
7214003	140	50/72/	150	55*44*29
7215003	150	98/105/	150	55*44*29
		128		

PET/PVC/PS flat tray
PET/PVC/PS平盘



No. 编码	Single Wt(g) 单片重量	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
7210008	100	150	55*44*29
7211008	110	150	55*44*29
7212008	120	150	55*44*29
7213008	130	150	55*44*29
7214008	140	120	55*44*29
7215009	150	100	55*44*29
7215010A	150	100	55*44*29
7215010B	150	100	55*44*29
7215010C	150	100	55*44*29

PET/PS plug tray
PET/PS林穴盘



No. 编码	Single Wt(g) 单片重量	Holes 孔数	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
7212006	120		150	55*44*29
7213006	130	21/32/	150	55*44*29
7215007	150	50/72	100	55*44*29
7216007	160		100	55*44*29



OTHER PRODUCTS FOR AGRICULTURE IRRIGATION 其他灌溉配套产品

Filters / 过滤器

T-type disc filter T型叠片过滤器



No. 编码	Interface size 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
9005012T	1.5"	1	55*36*30
9006322T	2"	1	75*36*24
9007512T	2.5"	1	75*36*24
9009011T	3"	1	63*36*24
9009021T	3"	1	75*36*24

T-type screen filter T型网式过滤器



No. 编码	Interface size 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
9006313T	2"	6	63*36*24
9006323T	2"	7	75*36*24
9007513T	2.5"	1	75*36*24
9009023T	3"	1	63*36*24
9009033T	3"	1	75*36*24

H-type screen filter H型网式过滤器



No. 编码	Interface size 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
9009014H	3"	1	99*37*23
9011014H	4"	1	

H-type disc filter H型叠片过滤器



No. 编码	Interface size 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
9009021H	3"	1	99*37*23
9011021H	4"	1	122*37*23

Y-type disc/Screen filter Y型叠片/网式过滤器



No. 编码	Interface size 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 包装尺寸
90025 01Y/02Y	3/4"	25	52*35*22.5
90032 01Y/02Y	1"	25	52*35*22.5
9005 01Y/02Y	1.5"	6	52*35*22.5
90063 01Y/02Y	2"	6	52*35*22.5
90075 01Y/02Y	2.5"	4	55*36*30

Centrifugation filter 离心过滤器



No. 编码	Interface size 接口尺寸	Packing(boxes/set) 包装数量	Carton size(cm) 包装尺寸
9006301L	2"	2	44*29*26 81*36*29
9009001L	2"	2	51*37*31 96*41*34
9001101L	2"	2	59*35*37 113*46*51

Mesh type self-cleaning filter 网式自清洗过滤器



No. 编码	Interface size 接口尺寸	Packing(pcs/ctn) 包装数量	Carton size(cm) 单件包装尺寸
9006301T	2"/3"	1	77*35*26

Manual filter set 手动过滤器组



No. 编码	Interface size 接口尺寸	Packing(boxes/set) 包装数量	Carton size(cm) 包装尺寸
91063001	3"/4"	1	95*75*130
91063002	3"/4"/5"/6"	1	100*75*130
91063003	3"/4"/5"/6"	1	130*75*130

OTHER PRODUCTS FOR AGRICULTURE IRRIGATION 其他灌溉配套产品

Exhaust Valves / 排气阀

Combined air release valve 组合式进排气阀



No. 编码	Interface size 接口尺寸	Connection 连接方式
1302503 1302504	3/4"	Male thread 外螺纹
1303202 1303205	1"	Male thread 外螺纹
1305001 1305003	1.5"	Male thread 外螺纹
1306301 1306303	2"	Male thread 外螺纹

Air release valve 进排气阀



No. 编码	Interface size 接口尺寸	Connection 连接方式
1302001	1/2"	Male thread 外螺纹
1302502	3/4"	Male thread 外螺纹
1303201	1"	Male thread 外螺纹
1306305	2"	Female thread 内螺纹

Air release valve 快速进排气阀



No. 编码	Interface size 接口尺寸	Connection 连接方式
1302505/06	3/4"	Male thread 外螺纹
1303206/07	1"	Male thread 外螺纹

Vacuum breaker valve 真空破坏阀



No. 编码	Interface size 接口尺寸	Connection 连接方式
1306304	2"	Female thread 内螺纹

AUTOMATIC SELF CLEANING FILTERS 自动反冲洗过滤器

The automatic backwash filter supports dual backwash control via time and differential pressure. Each unit can be backwashed sequentially and automatically switched to ensure continuous and stable water output. Featuring a modular design, it can flexibly adapt to various installation spaces, offering simple and quick maintenance without the need for specialized tools, making routine inspections effortless and hassle-free.

自动反冲洗过滤器支持时间与压差双重控制反洗功能,各单元可依次进行反洗并自动切换,确保出水连续且效果稳定。采用模块化设计,能够灵活适配各种安装空间,维护简便快捷,无需专用工具,日常检修轻松无负担。

